

Little& Associates Architects

5815 Westpark Drive Charlette, NC 28217 704-525-6350 704-522-7889 fax


This drawing and the design shown are the property of Little and Associates Architects. The reproduction, copying or other use of this drawing without their written consent is prohibited and any infringement will be subject to legal action.

Little and Associates Architects, Inc.

V. P. in Charge Project Architect/Job Captain

No 1 Date 22 NOV 93 No 2 Date 03 DEC 93 No \_\_\_\_\_\_\_ Date \_\_\_\_\_ No \_\_\_\_\_ Date \_\_\_\_\_ No \_\_\_\_\_ Date \_\_\_\_\_ No \_\_\_\_\_ Date \_\_\_\_\_ No \_\_\_\_\_ Date \_\_\_\_\_

Project Number 2925-01 Of



Little& Associates Architects

5815 Westpark Drive Charlotta, NC 28217 704-525-6350 704-522-7889 fax

This drawing and the design shown are the property of Little and Associates Architects. The reproduction, copying or other use of this drawing without their written consent is prohibited and any infringement will be subject to legal action.

Little and Associates Architects, Inc.

Project Architect/Job Captain 2925RZ2.DWG 1"=60" No 2 Date 22 NOV 93 No 2 Date 03 DEC 93 No \_\_\_\_\_ Date \_\_\_\_ No \_\_\_\_\_ Date \_\_\_\_

2925-01

## GENERAL NOTES

### Petitioner's Statement of Intent

The Petitioner intends to develop this site as a Community Mixed-Use Center. Special attention will be given to insure that the project is developed as a high quality, moderately—scaled center offering a wide range of personal and professional services in an architecturally harmonious environment. The amenities will be integrated with each other aesthetically and will be complimentary to the existing community. Particular attention will be given to the detailed site planning, building design and configuration, signage and landscaping. The individual buildings will be of a high standard of design and construction and will utilize quality durable materials.

### General Provisions

All development standards established under the Mecklenburg County Zoning Ordinance (the "Ordinance") will be complied with in connection with the development depicted on petitioner's

Building configurations, sizes and placement shown on Petitioner's Rezoning Plan are schematic in nature and may be subject to modification/alteration due to survey and tenant requirements in detailed design, design development and construction document phases. Changes, however, will be made only within the maximum building limit lines established on the Rezoning Plan. (Parking layout configurations may also change to accommodate revised building locations.)

### Setbacks, Sideyards and Rear Yards

All development taking place in each capital parcel will meet or exceed the setback, sideyard and rear yard requirements established under the Ordinance for the CC, B-1 and R-12 MF Districts. as the case may be.

## **Buffer Areas**

### Southern and Western Margins

The required buffer areas depicted on the Rezoning Plan along the southern and western margins of the Site will meet or exceed the requirements of Section 12.302 of the Ordinance.

## NC Highway 16 Margin

The petitioner reserves the right to clear the buffer area depicted along the western margin of New NC Highway 16 to accommodate sitework such as earthberms, grading and perpendicular utility lines. However, in these areas within the buffer area where existing trees and natural vegatation have been cleared, the cleared, unimproved areas will be landscaped and replanted to meet or exceed the requirements of Section 12.302 of the Ordinance.

The petitioner reserves the right to remove vines, underbrush, small trees, etc., within any part of this buffer area which the petitioner chooses to leave in it's natural condition.

### Screening

All dumpster enclosure and service areas will be screened from public streets and adjacent properties in accordance with the Section 12.303 of the Ordinance.

### Maximum Building Heights

Retail/Office Buildings may not exceed two stories in number or 40 feet in height.

Residential Structures may not exceed three stories in number. However, the height of residential buildings may extend up to 45 feet, provided all requirements of Section 9.305(i), footnote 7 of the Ordinance are satisfied.

### Access Points and Driveways

The number of vehicular access points and driveways to Mount Holly—Huntersville Road will be limited to those shown on the Rezoning Plan. The configurations and detailed locations of all driveways and access points within the site are subject to minor modifications to accommodate final site planning, and architectural plans and designs, and are further subject to the approval of the North Carolina Department of Transportation and The Mecklenburg County Engineering Department.

Project entrances from Mount Holly—Huntersville Road will be designed to include significant landscaping, signage monuments, graphics etc. The location, internal channelization and design of the driveway shown on the Site Plan shall be subject to further review and coordination with opposing access points.

## Pedestrian Pathway System

A pedestrian pathway system has been included to adequately connect all components of the project. A sidewalk will be constructed along Mount Holly-Huntersville Road.

A standard project—wide lighting system will be implemented. The design of the fixtures will be compatible with the overall architectural design of the project. All lighting fixtures (except street lights which may be erected along Mt. Holly—Huntersville Road and new N.C. Highway 16) shall be designed such that direct illumination does not extend past any property line. The heights of lighting fixtures, including the bases thereof, will not exceed 35 feet.

Off street parking will equal or exceed the requirements established under the Ordinance.

No parking will be permitted within designated buffer areas or setbacks

Fire Protection

No overhead utility lines will be permitted within the development. The Owners from time to time will have the right to approve all underground utility locations and all above ground equipment locations. Large above ground equipment will be screened from public streets.

Adequate fire protection in the form of fire hydrants will be provided to meet the specifications of the Mecklenburg County Fire Marshall. Detailed plans will be submitted to the Fire Marshall's Office for his approval prior to construction commencement date.

### Storm Water Detention Sedimentation and Erosion Control

During construction, the development will comply with all the applicable mandatory minimum requirements for storm water detention and/or sedimentation and erosion control as specified by the Mecklenburg County Engineering Department.

# Outer Belt Loop Road

As of the date of the filing of this Rezoning Petition, the North Carolina Department of Transportation has not finally established the alignment for the Outer Belt which will run to the rear of the site. The Petitioner agrees to dedicate to the North Carolina Department of Transportation for right-of-way purposes all or such portion of the triangular shaped parcel of land situated at the southeast corner of the site and depicted on the Rezoning Plan as may fall within the alignment ultimately selected for the Outer Belt if and when requested to do so by the NCDOT. In the meantime, Petitioner agrees to reserve the parcel for right-of-way purposes.

# Permitted Uses

# 1. Parcel I: CC

The total gross floor area of the shopping center to be placed on Parcel I maynot exceed 195,000 square feet. The total gross floor area for all development taking place on the four outparcels may not exceed 25,000 square feet.

Parcel I may be devoted to any use (including any accessory use) which is permitted by right or under prescribed conditions in a CC Zoning District under the Ordinance.

# 2. Parcel II: B-1(CD)

The total gross floor area of all structures placed on Parcel II (including detached buildings) cannot exceed 34,000 square feet of office or retail development or 60 multifamily dwelling units.

Parcel II may be devoted to any use (including any accessory use) which is permitted by right or under prescribed conditions in a B-1 Zoning District under the Ordinance.

# 3. Parcel III: R-12MFCD

No project developed within Parcel III may be constructed at a density of more than 12 units per acre and the total number of all multi-family dwelling units constructed within Parcel III cannot exceed 182 units.

# Signage Program

# Temporary project signs will be constructed so as not to disturb existing tree cover.

The signage system shall be consistent throughout the development and in compliance with the Ordinance.

# Road Improvements

In order to address the impact which the proposed development will have on the intersection of NC 16 and Mount Holly-Huntersville Road, the Petitioner commits to making the following roadway improvements at its sole cost and expense (subject to the approval of North Caroling Department of Transportation).

### (1) Mount Holly-Huntersville Road

Petitioner will improve Mt. Holly-Huntersville Road to a three lane section from new N.C. Highway 16 to the westerly edge of the site and will also construct a taper beyond that point designed to accommodate the speed limit posted at the time of construction and the existing off-site right-of-way available to accommodate the taper. If at any time on or before May 31, 1994, Mt. Holly—Huntersville Road is established as a major thoroughfare under the Charlotte-Mecklenburg 2015 Transportation Plan, Petitioner agrees to dedicate the additional right-of-way necessary to provide a 50 foot section along the site's entire frontage south of the existing centerline for Mt. Holly—Huntersville Road and to measure the required 35 foot setback from this new right-of-way line. Right-of-way dedication will occur, if required, on or before the final Certificate of Occupancy for development taking place within Phase 1.

### (2) Proposed Public Collector

The design and construction of the Public Collector Road shall meet or exceed the requirements for a commercial collector within the area depicted on the Rezoning Plan and a local residential road within the area depicted on the Rezoning Plan as required by Mecklenburg County Engineering Department. Petitioner will construct the proposed Public Collector Road in phases as set forth under Phasing. The property to the rear of the site will be provided access to the Public Collector Road once it has been extended to the southern boundary of the site for purposes of

(3) All construction documentation for vehicular driveways and road intersections will be reviewed and approved by the Mecklenburg County Engineers Department and the North Carolina Department of Transportation through the standard permitting process.

gaining ingress and egress to Mt. Holly-Huntersville Road.

Parcels I, II and III will be developed in phases which are keyed to specific landscaping and infrastructure improvements, all as more specifically set forth below:

### 1. Parcel I

73,000 square feet of the proposed shopping center and any and all of the four outparcels depicted on Parcel I may be developed within the Phase I area depicted on the Rezoning Plan contemporaneously with or after construction of the following improvements:

- a. Improving Mt. Holly-Huntersville Road to a three lane section as provided above under Road Improvements.
- b. Completion of construction (or bonding construction of) the first 300 feet of the Public Collector Road separating Parcel I and Parcel III.
- c. Completion of construction (or bonding construction of) a sidewalk along Mr. Holly-Huntersville Road from new North Carolina Highway 16 to the Public Collector Road and along one side of the improved portion of the Public Collector Road.
- d. Landscaping will also be installed along Mt. Holly—Huntersville Road in segments as each individual outparcel is developed.
- e. Construction of the main driveway into the shopping center and the installation of associated landscaping. The intent is for this main entrance drive to serve the entire retail center and to provide access to the four outparcels.
- f. Extension of offsite sewer to the site from Long Creek (approximately 2,500 linear
- g. Construction of a stormwater detention facility within the area depicted on the Rezoning Plan.
- Aesthetic improvements to the focal point/open space area at the corner of NC 16 and Mt. Holly—Huntersville Road and landscape strip along Highway 16 included in


No Certificate of Occupancy for any building constructed during Phase One may be issued until after the requirements of subparagraphs "a." through "h." have been satisfied. The balance of the development approved for Parcel I may take place after the Public Collector Road has been extended to the southern boundary of the site (or the bonding of such construction has been provided.)

- 2. Parcel II may be developed at any time after the Public Collector Road has been extended from Mt. Holly-Huntersville Road to the southern boundary of the site. (or the bonding of such construction has been provided)
- 3. Parcel III may be developed at any time it has been provided public access to Mt. Holly-Huntersville Road by way of the Public Collector Road.

If the Public Collector Road is not in place when an owner of any part of Parcel III desires to construct improvements thereon, the owner of that part of the site over which the Public Collector Road will run will grant to such owner of a part of Parcel III an easement to dedicate and construct the Public Collector Road from Mt. Holly-Huntersville Road to the property owner's public access driveway.

# Architectural Controls

- 1. The principal materials used for the front elevation of the shopping center and each side elevation closest to the future Outer Belt and Mt.Holly—Huntersville Road elevations will consist of brick, stone, or stucco.
- 2. The material selected for the rear and interior sides of the shopping center will be CMU painted to match the color of the material used in the construction of the front and end side elevations.
- 3. The front elevation of the shopping center will incorporate some or all of the following architectural elements: columns, canopies, awnings, brick ornamentations, windows, different parapet elevations, arches, etc., in order to break up the building mass and achieve a harmonious
- 4. Each dumpster area will be enclosed on all four sides by a fence and a hinged gate which are constructed of brick and wood unless on one or more sides of the dumpster area adjoin a rear wall or side wall of a building, in which case the wall will be substituted for the fence along each such side.
- 5. Roof top mechanical units will be screened from adjoining and abutting residential properties.



Little& Associates

5815 Westpark Drive Charlotte, NC 28217 764 - 525 - 6350 704-522-7889 fax

This drawing and the design shown are the property of Little and Associates Architects. The reproduction, copying or other use of this drawing without their written consent is prohibited and any infringement will be subject to legal action. Little and Associates Architects, Inc.

V. P. in Charge VRETTOS Project Architect/Job Captain VRETTOS Drawn By ENGEL Date Drawn 17 SEPT 93 CADD Dwg. Name 2925RZ3.DWG 1"=60" Revisions No 1 Date 22 NOY 93 No 2 Date 03 DEC 93 No \_\_\_\_\_ Date \_\_\_\_ No.\_\_\_\_\_ Date \_\_\_\_ No \_\_\_\_\_ Date \_\_\_\_ No \_\_\_\_\_ Date \_\_\_\_

 $\sigma \rightarrow$ 

Q Z

S Z

 $\omega \pm$ 

Project Number Sheet