



Charlotte-Mecklenburg Planning Department

DATE: June 12, 2014 TO: Mark Fowler Debra Campbell Zoning Supervisor Planning Director **SUBJECT:** Administrative Approval for Petition No. 2002-112 Portrait Homes Attached are the revised plans to allow single-family detached in tract C. Since this change does not alter the intent of the development and meets the requirements of the Charlotte Zoning Ordinance Section 6.207 Alterations to Approval, minor changes, I am administratively approving this plan. Please use these plans when evaluating requests for building permits and certificates of occupancy. Reasons for Staff's support of the request: • The proposed lots are consistent with the single-family lots approved in adjacent tracts included in this rezoning. Note: All other Zoning, Subdivision, Tree Ordinance and conditional requirements still apply. Signage was note reviewed as part of this request.

CHARLOTTE-MECKLENBURG PLANNING DEPARTMENT www.charmeck.org 600 East Fourth Street Charlotte, NC 28202-2853 PH: (704)-336-2205 FAX: (704)-336-5123

TURNBULL • SIGMON DESIG VICINITY MAP LAND DEVELOPMENT DESIGN SERVICE SYMBOL LEGEND A - PUBLIC STREET COLLECTOR (60' R.O.W.) IF TURNBULL SIGNON DESIGN, P.A. THE REPRODUCTION OR INAUTHORIZED USE OF THE DOCUMENTS WITHOUT THE CONSENURSBULL SIGMON DESIGN, P.A. IS FROMBITED. 2002 @ COMMON OPEN SPACE PORTRAIT **FUTURE GREENWAY** HOMES ACCESS POINT LANDSCAPE SCREEN/BUFFER 9105 MONROE ROAD SUITE 120 GREENWAY TRAIL, 6' GRAVEL CHARLOTTE, NC 28270-1490 704-849-2221 △ - ×— ×— 6' DECORATIVE SCREEN FENCE DEVELOPMENT DATA A SITE AREA 156 AC. EXISTING ZONING R-3, B-1 PROPOSED ZONING MAXIMUM # DWELLING UNITS 748 D.U. MAXIMUM DENSITY 4.79 D.U./AC. MIN. BUILDING SEPARATION MAX. BUILDING HEIGHT △ COMMON OPEN SPACE (C.O.S.) ±40.8 AC. SINGLE FAMILY DETACHED 24.5 88 7.75 ac. SINGLE FAMILY DETACHED 49.0 147 9.0 ac. SINGLE FAMILY DETACHED 8.3 37 SINGLE FAMILY ATTACHED SCALE: 1" = 200" 14.1 132 7.5 ac. MULTIFAMILY OR SINGLE FAMILY ATTACHED (14.1 112) **MERRYHUE** SINGLE FAMILY ATTACHED 30,7 184 10.65 ac. SINGLE FAMILY DETACHED **FARMS** SINGLE FAMILY ATTACHED 21.5. 139 4.4 ac. THOROUGHFARE R.O.W HANBERRY DRIVE 156 AC. 748 40.8 ac. CHARLOTTE NORTH CAROLINA INNOVATIVE DEVELOPMENT STANDARDS Pursuant to Section 11,208 of the Ordinance, the Petitioner seets to obtain the approval of its use of the following innovative Development Standards in connection with the development of the Site concurrently with the approval TACHED TO ADMINISTRATION of its Resoning Petition: APPROVAL SINGLE FAMILY DETACHED HOMES FOR PUBLIC HEARING A PUBLIC STREET R.O.W. JUN 1 2 2014 MINIMUM LOT SIZE

TECHNICAL DATA SHEET Petition # 2002-II2

PROJECT NUMBER: 02015

DRAWN BY: TCS, MLF, ABS DESIGNED BY: SFC ISSUE DATE: 09-05-02 03-14-05 TCS REVISE PER STAFFICLIENT COMMENTS

02-18-05 TCS REVISE PER STAFFICLIENT COMMENTS 02-24-03 TCS REVISE PER CLIENT COMMENTS A 2-24-03 TOS REVISE PER CLIENT COMMENTS

A 12-02-03 TOS REVISE PER CLIENT COMMENTS

A 11-26-02 TOS REVISE PER WETLANDS DELIMEATION

10-22-02 TOS REVISE PER CMPC STAFF COMMENTS

NO. DATE: BY: REVISIONS:

BY: DEBRA CAMPBELL

שכיני מוכולאכול

Marine and

40' (MAN), 3 STORIES)

1 SPACE/200 SF

10' (INTERNAL)


40' (EXTERNAL)

1 SPACE/200 SF

(SF OF POOL WATER SURFACE)

(SF OF POOL WATER SURFACE)

10' (FROM RAW OR BACK OF CURB)



DEVELOPMENT STANDARDS

A PERMITTED USES:

Up to 281 for sale single family detached dwelling units, 335 for sale single family attached dwelling units, and 132 multi-family units, (or 112 for sale single family attached dwelling units), as further described below, may be constructed on the Site, together with any incidental or accessory uses associated therewith which are permitted under the City of Charlotte Zoning Ordinance (the "Ordinance") in the MW-2 Zoning District.

Up to 88 for sale single family detached dwelling units may be constructed on Tract A, together with any

incidental or accessory uses associated therewith which are permitted under the Ordinance in the MX-2

Up to 147 for sale single family detached dwelling units may be constructed on Tract B, together with any incidental or accessory uses associated therewith which are permitted under the Ordinance in the MA-2: Zoning District. Tract "8" will be developed in accordance with the R-4 Cluster development standards in the Ordinance except that all lots will have a minimum width of 60 feet.

Up to 37 for sale single family detached dwelling units may be constructed on Tract C, together with any incidental or accessory uses associated therewith which are permitted under the Ordinance in the MX-2 Zoning District. Additional, up to 12 single family attached dwelling units may be constructed on Tract C, together with any incidental or accessory uses associated therewith which are permitted under the Ordinance in the MX-2 Zoning District.

⚠ Up to 132 multi-family units or up to 112 for sale single family attached dwelling units may be constructed on Tract D, together with any incidental or accessory uses associated therewith which are permitted under the Ordinance in the MX-2 Zoning District.

Up to 9 for sale single family detached dwelling units may be constructed on Tract C, together with any incidental or accessory uses associated therewith which are permitted under the Ordinance in the MX-2 Zoning District. Additional, up to 184 single family attached dwelling units may be constructed on Tract C, together with any incidental or accessory uses associated therewith which are permitted under the Ordinance in the MX-2 Zoning District.

⚠ Up to 139 for sale single family attached dwelling units may be constructed on Tract F, together with any incidental or accessory uses associated therewith which are permitted under the Ordinance

B. DEVELOPMENT REQUIREMENTS:

1. General Provisions. (a) At a minimum, all applicable development standards established under the Ordinance for the NOV2 Zoning District will be satisfied in connection with development taking place on the Site. In accordance with Section 11,206(2) of the Ordinance, at no point in the development of the Site. shall the density of residential development in a completed phase of the Site exceed 6 dwelling units

ibj in addition, development of the Site shall be governed by these Development Standards, the Technical Data Sheet and the Schematic Site Plan.

(c) The building configurations, placements and sizes, streets and parking areas shown on the Schematic Site Plan (Sheet RZ-2), are schematic in nature and may be altered or modified during design development and construction document phases within the maximum building limit thes established on the Technical Data Sheet.

(d) Landscaped areas and sidewalks within the Site will be planted and installed in sequences which are keyed to development taking place on the Site.

[e] The Petitioner or the owner or owners of the Site will not be required to install sidewalls or other improvements along the unimproved open space's frontage on Old Concord Road.

2. Setbacks. Side Yards and Rear Yards. All buildings constructed on the Site shall satisfy or exceed the setback, rear yard and side yard

requirements established on the Technical Data Sheet.

3. Buffer Areas. (a) Buffer areas established on the Technical Data Sheet shall conform to the standards of

Section 12:302 of the Ordinance; subject, however, to the provisions of Section 12:304 and to the provisions of Paragraphs (b) and (c) of this Section. (b) Litility installations may only cross buffer areas at interior angles measured at property lines which are not less than 75 degrees.

(c) in all buffer areas where existing trees and natural vegetation have been cleared to accommodate grading, berrrs, walk, fences, or the installation of utility lines or facilities, the cleared, unimproved areas will be landscaped as required by Section 12.302 of the Ordinance

(d) As depicted on the Technical Data Sheet, a 20 foot wide undisturbed builter shall be maintained along the external edge of Tract "A" adjacent to the Faires Farms subdivision and Tract "B" adjacent to the Wyndham Place Subdivision. Notwithstanding the foregoing. Petitioner reserves the right to selectively cut, clear and clean underbrush and dead or dying trees and vegetation located within this buffer area.

4. Landscaped Areas and Screening. (a) Screening shall conform with the standards and treatments specified in Section 12.303 of the Ordinance and the City of Charlotte Tree Ordinance. Development of the Site will comply with the provisions of the City of Charlotte Tree Ordinance, including the requirement for minimum

frontage on the proposed Eastern Circumferential Thoroughfare in those areas generally depicted on the Technical Data Sheet. (b) The Petitioner shall install a landscape screen buffer a minimum of 30 feet in width along the Site's

(c) The Petitioner shall install a 6 floot decorative screen fence within the landscape screen buffer in those areas generally depicted on the Technical Data Sheet. Additionally, the Petitioner shall install within the landscape screen buffer street trees and ornamental trees that are at least 2 inches in caliber at the time of installation, with such trees to be planted 25 feet on center. The Petitioner shall also install within the landscape screen buffer 20 shrubs per 100 lineal feet.

5. Trash Collection.

(a) The Petitioner presently contemplates that trash will be collected from each incliniqual unit. from separate trash containers located at each unit.

(b) If this form of collection is utilized, pick up will be handled by a private hauler unless and until governmental policy would provide for the public pick up of trash.

(c) if dumpsters are provided, they will be screened with solid wooden or missonry enclosures

6. Streets and Driveways.

(a) Verticular access to the Site will be limited to the access points shown on the Technical Data Sheet and will be located in the general areas depicted. The configurations and ultimate locations of these access points within the Site are subject to any minor modifications required to accommodate final site and architectural construction plans and designs and are further subject to approval by CDOT and/or the North Carolina Department of Transportation ("NCDOT").

A C(b) The retaining shall dedicate and convey in fee (by quitclaim deed and subject to a reversionary Interest in any property not used for right of way purposes in the future) right of way for the proposed Eastern Croumferential Thoroughfare along the Sters frontage and as generally depicted on the Technical Data Sheet (such area being hereinafter referred to as the "Right of Way Area"). Such dedication and conveyance shall occur upon recordation of the first Phase final plat. Prior to the conveyance of the Right of Way Area for the proposed Eastern Circumferential Thoroughfare, the Petitioner or the owner or owners of the Site shall have the right to reserve such easements over the Right of Way Area that are necessary to provide the vehicular connection and street between Tract "C" and Tract "F" that is generally depicted on the Technical Data Sheet and Schematic Site Plan (such essement to expire upon the completion and opening of the proposed Eastern Circumferential Thoroughterej, and to reserve such essements over the Right of Way Area for the Installation. maintenance, repair and replacement of utility lines or facilities. Petitioner shall also have the right to reserve such temporary construction easements over the Right of Way Area as are necessary to develop-

the contract of the contract o (c) Presidence shall prohibit construction vehicles relating to the development of the Site from using St. Josephs Drive or Faires Farm Road for Ingress and egress to and from the Ske.

(d) The street labeled "collector" street" on the Technical Data Sheet shall be built to collector street standards: The Petitioner shall install a 6 foot planting strip and a 5 foot sidewalk on both sides of this collector street. All units along the collector shall front on the collector.

the Site (such temporary construction easements to expire upon the completion of the development of the

⚠ ((e) That portion of the street labeled "Collector Street" on the Technical Data Sheet that Connects existing Faires Farm Road and existing Hamberry Drive must be completed and open to vehicular traffic prior to the recording of the plat for the thirty first (31st) dwelling unit to be located on that portion of the Site situated north of Back Creek (i.e., Creeks A. C. D., E and F). The platting, construction or occupancy of any dwelling units located on that portion of the Site designated as Tract B on the Technical Data Sheet shall not impact or trigger the Petitioner's obligations with respect to the above described ("Collector Street"

(a) A uniform lighting system will be employed throughout the Site. All lighting within the Site except street lights which may be erected along any public street or private street shall be designed such that direct liumination does not extend past exterior properly lines of the Site. Consideration will be given to the impact of lighting both within and without the perimeter of the Site. Items for consideration will include intensity, cutoff angles, color, energy efficiency and shielding of sources of light, the intent being to eliminate glare towards adjacent streets and

(b) Lighting flaures will not exceed 20 feet in height, except for street lights along public streets (c) Street lights will be installed along public and private streets within the Site by the Petitioner

(a) The parking spaces depicted on the Schematic Site Plan may very but in all events will be sufficient to satisfy the minimum off-street parking standards established under the Ordinance.

(b) No parking will be permitted within buffer areas or setback areas.

A uniform signage and graphics system will be employed throughout the Site which will comply with the provisions of Section 13 of the Ordinance.

10. Fire Protection. Adequate fire protection in the form of fire hydrants will be provided to the Fire Marshal's

11. Design Standards.

(a) Landscaped blands will be provided in parking areas to avoid large expanses of pavement. These Islands will satisfy or exceed the City of Charlotte Tree Ordinance

(b) The Site shall conform to the City of Charlotte Tree Ordinance

(c) All parking will be screened from public streets in accordance with the requirements of

(d) Within Tract C, Single family attached units with garages, if provided, may not front a public street. All such garages shall be accessed by a rear alle

12. Storm Drainage.

(a) Storm water runoff from the Site will be managed through proven techniques which satisfy the standards imposed by the City of Charlotte Engineering Department.

(b) No storm water facilities may be placed within buffer areas or setback areas.

 (c) The Petitioner shall work with local agencies to develop methods for pollutarit removal and storm water quality such as rain gardens, extended detention wetlands, and velocity

(a) The owner or owners of the Site shall dedicate and corney in fee by quitclaim deed the greenway area depicted on the Technical Data Sheet up to the .5 foot encroachment line fsuch area being hereinafter referred to as the "Greenway Area") to Mecklenburg County for greenway purposes. The Greenway Area shall be dedicated and conveyed upon recordation of the first phase Three plat scorner if requested by Meddenburg County. Prior to a conveyence of the Greenway Area to Meddenburg County, the owner and owners of the Site shall have the right to maintain the Steemway Area, to install and locate utility lines through the Greenway Area, to reserve such easements over the Greenway Area that are necessary to maintain and repair such utility lines, and to reserve essements for the future installation of utilities.

(b) Prior to the dedication and conveyance of the Greenway Area to Meditenburg County, the Petitioner shall install a 6 foot wide pit gravel walking trail within the Greenway Area as generally depicted on the Technical Data Sheet.

14. Architectural Commitments

(a) All single family detached dwelling units located within Tract "8" shall contain a minimum

(b) At a minimum, each single family detached dwelling unit located within Tract "6" shall have

(c) Each single family detached dwelling unit located within Tract "B" shall be constructed with a brick surround from the exterior grade of the lot to the first floor evelution of the home, or at least 25% of the front elevation (inclusive of doors and windows) shall consist of brick or stone materials.

15. Sidewalks / Redestrian Connections

not be subject to any phasing requirements.

(a) Sidewalks will be provided in accordance with the requirements of the Ordinance.

(b) A pedestrian path connecting Tracts "A", "B" and "C" to the Greenway Area shall be provided by the Petitioner in the location generally depicted on the Technical Data Sheet. (c) A pedestrian path connecting Tract "D" to the greenway area shall be provided by the Petitioner

he Petitioner's development of up to 147 for sale single family detached dwelling units within Tract 8 in accordance with the Technical Data Sheet and Schematic Site Plan shall

1. The Petitioner may construct up to 286 for sale single family attached dwelling units on those portions of the Site designated on the Technical Data Sheet as Tract C, Tract D, Tract E and Tract F during Phase 1 of the proposed development. The Petitioner may construct up to 88 single family detached dwelling units within that portion of the Site designated as Tract A on the Technical Data Sheet during Phase I of the proposed development

2. In connection with the development of Phase 1, the Petitioner shall construct a northbound left-turn lane on Back Creek Church Road at Hanberry Drive, and an eastbound left-turn lane on McLean Road at Faires Farm Road. These left-turn lanes will be constructed and installed by the Petitioner concurrently with the development of Phase 1, and the construction plans for such left-turn lanes shall be submitted with the development plans as part of and be subject to the subdivision process. The Pethioner is responsible for the design of the left-turn lanes, to include appropriate traffic controls during construction and pavement markings. The design of these improvements must meet applicable minimum requirements as determined by and be subject to the review and approval of CDOT and NCDOT.

3. In connection with the design of the northbound left-turn lane on Back Creek Church Road at Hamberry Drive, the Petitioner will complete the preliminary design/construction plans for Improvements described in paragraph 2(c)(1) under Phase 2 to ensure that the design of this left-aum tane is compatible with NCDOT's planned improvements to the intersection of Back Creek Church Road and University City Boulevard from a design and functionality standpoint as determined by CDOT and NCDOT

1. Phase 2 of the proposed development shall consist of the remaining 227 dwelling units permitted to be developed on those portions of the Site designated on the Technical Data Sheet as Tract C, Tract D, Tract E and Tract F.

The subdivision plans and/or building permits for any dwelling unit in Phase 2 of this proposed development will not be approved/issued until such time as the following improvements have been completed

⚠ (ja) The planned and funded improvements to the intersection of Old Concord Road and McLean Road to be constructed by NCDOT, which improvements are designated as Project No. P-3814 by NCDOT.

(b) The planned and funded improvements to the intersection of Back Creek Church Road and University City Boulevard (NC 49) to be constructed by NCDOT, which improvements are designated as Project No. P-3814 by NCDOT.

(c) (1) The construction of an additional northbound lane on Back Creek Church Road, such lane to extend from the intersection of Hamberry Drive and Back Creek Church Road to the intersection of Back Creek Church Road and University City Boulevard (NC 49) (the tditional Lane"), the primary purpose of which is to provide a northbound dual left-turn lane, and the extension of the concrete median (the "Extended Median") that would be constructed as part of 2(b) above to a point north of the intersection of Hamberry Drive and Back Creek Church Road (such point to be determined by CDOT). The Additional Lane can utilize the pavement area that will be constructed in connection with the installation of the northbound left-turn lane on Back Creek Church Road at Hanberry Drive for shadowing that left-turn lane and creating the appropriate transition. During the design stage, CDOT will determine the final onfiguration and design of the Additional Lane (i.e. storage, taper, and etc.), the termination point of the Extended Median and the pavernent markings and signage that will be required. Minor modifications to the foregoing concept may be required to maintain reasonable access to the church located on the eastern side of Back Creek Church Road.

[2] In connection with the construction of the Additional Lane and the Extended Median described above in paragraph 2[c][1], the Petitioner will submit construction plans, including traffic control and pavement marking plans, for these improvements to CDOT and NCDOT for their review and approval. All traffic lanes on Back Creek Church Road must align appropriately with the existing lanes on Pavillon Boulevard. The improvements must be lesigned in accordance with all applicable design standards as determined by CDOT and

(3) The Petitioner is responsible for all costs associated with the construction of the Additional Lane and Edended Median and all other associated intersection and roadway modifications necessary as a result of the installation of the Additional Lane and Extended Median as determined by CDOT and NCDOT to include, but not be limited to, lane re-alignments; right-of-way acquisition/dedication; any railroad crossing/signal modifications; utility relocations; pavement markings; and traffic signal modifications.

▲ (4) If agreeable to the NCDOT's Rall Division, the Petitioner may coordinate the construction of the Additional Lane and Extended Median with the improvements described in paragraph 2(b) above. Moreover, if NCDOT determines not to proceed with the planned and funded improvements described in paragraphs 2(a) and 2(b) above or delays the commencement of the construction of such improvements, the Petitioner may pursue with NCDOT and the NCDOT's Rail Division constructing such improvements itself at the Petitioner's expense.


in the event that there is not sufficient right-of-way to accommodate any of the improvements outlined under Phase 1 and Phase 2 above, the City of Charlotte, after the Petitioner has made a reasonable and good faith effort to acquire such right of way, will invoke its power of eminent domain to assist Portrait Homes in obtaining the needed right-of-way in accordance with the City's standard policies and practices

D. AMENDMENTS TO REZONING PLAN: Future amendments to the Technical Data Sheet and these Development Standards may be applied for by the then owner or owners of the percel or percels involved in accordance with Chapter 6

E. BINDING EFFECT OF THE REZONING APPLICATION: If the Petitioner's Resoning Petition is approved, the development program established under these Development Standards, the Technical Data Sheet and other supportive documents shall, unless amended in the manner provided under the Ordinance, be binding upon and inure to the benefit of the Petitioner and subsequent owners of the Site, and their respective heirs, devisees, personal representatives, successors in interest and assigns.

2. Throughout these Development Standards, the terms. "Petitioner," and "owners," shall be deemed to Include the heirs, devisees, personal representatives, successors in interest and assigns of the Petitioner and the current and subsequent owners of the Site who, from time to time, may be involved in any future development of the Site.





THE DOLUMES AND THE OFFICE SHOWN THEOFOR ARE INSTRUMENTED OF TURNSULL SIGNON DESIGN, F.A. THE REPRODUCTION OR UNAUTHORIZED USE OF THE DOCUMENTS WITHOUT THE CONSENT OF TURNBULL SIGNON DESIGN, P.A. IS PROHIBITED. 2002

PORTRAIT HOMES

9105 MONROE ROAD SUITE 120 CHARLOTTE, NC 28270-1490 704-849-2221

MERRYHUE FARMS

HANBERRY DRIVE CHARLOTTE NORTH CAROLINA

FOR PUBLIC HEARING

DEVELOPMENT **STANDARDS** Petition #2002-112

ATTACILED TO ADMINISTRATIVE PROJECT NUMBER: 02015 APPROVAL DRAWN BY: TCS, ABS DESIGNED BY: SFC JUN 12 2014 ISSUE DATE: 09/05/02

BY: DEBRA CAMPBELL

04-25-2014 ADMINISTRATIVE AMENDMENT A 03-74-05 KRK REVISE SECTIONS BE(b), BT3(a) AND C2(a) Q 02-18-05 TCS REVISE PER STAFFICLIENT COMMENTS 03-14-03 TOS REVISE PER STAFFICLIENT COMMENTS 02-24-03 TGS REVISE PER CLIENT COMMENTS 2-24-03 TCS REVISE PER CLIENT COMMENTS 12-02-02 TCS REVISE PER CLIENT COMMENTS 11-26-02 TCS REVISE PER WETLANDS DELINEATION 10-22-02 TCS REVISE PER CMPC STAFF COMMENTS