




| ADA Survey Summary                                                                                                                                                                                                                                                                                                 |                                   |            | ADA Compliance Cost Estimate * |                                               |            |            | Intersection Inventory & Compliance Cost Estimate |                           |                                    |             |                     |                                    |   |                                   |   |                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------|--------------------------------|-----------------------------------------------|------------|------------|---------------------------------------------------|---------------------------|------------------------------------|-------------|---------------------|------------------------------------|---|-----------------------------------|---|-----------------------------------------------|
| Item                                                                                                                                                                                                                                                                                                               | Description                       | Quantity   | Item                           | Description                                   | Quantity   | Unit Price | Item Cost                                         | Item                      | Description                        | Total Count | Non Compliant Count | Cost                               |   |                                   |   |                                               |
| 1                                                                                                                                                                                                                                                                                                                  | Heavings less than 1"             | 15 EA      | 1                              | Heavings less than 1"                         | 2 EA       | \$ 100.00  | \$ 200.00                                         | Curb Ramps                |                                    | 0           | 0                   | \$ 0.00                            | ● | Heavings < 1" (Excluded)***       | ● | Heavings < 1"                                 |
| 2                                                                                                                                                                                                                                                                                                                  | Heavings 1" or greater            | 1 EA       | 2                              | Heavings 1" or greater                        | 0 EA       | \$ 400.00  | \$ 0.00                                           | Island Curb Cuts          |                                    | 0           | 0                   | \$ 0.00                            | ● | Heavings ≥ 1" (Excluded)***       | ● | Heavings ≥ 1"                                 |
| 3                                                                                                                                                                                                                                                                                                                  | Uneven Heavings                   | 1 EA       | 3                              | Uneven Heavings                               | 0 EA       | \$ 400.00  | \$ 0.00                                           | Signal Push Buttons       |                                    | 0           | 0                   | \$ 0.00                            | ● | Uneven Heaving (Excluded)***      | ● | Uneven Heaving                                |
| 4                                                                                                                                                                                                                                                                                                                  | Heaving Clusters                  | 0 SY       | 4                              | Heaving Clusters                              | 0 SY       | \$ 75.00   | \$ 0.00                                           | Transit Stops             |                                    | 0           | 0                   | \$ 0.00                            | — | Heaving Clusters (Excluded)       | — | Heaving Clusters                              |
| 5                                                                                                                                                                                                                                                                                                                  | Sidewalk Joint Gaps               | 0 EA       | 5                              | Sidewalk Joint Gaps                           | 0 EA       | \$ 200.00  | \$ 0.00                                           | Railroad Crossings        |                                    | 0           | 0                   | \$ 0.00                            | ▲ | Sidewalk Joint Gap (Excluded)***  | ▲ | Sidewalk Joint Gap                            |
| 6                                                                                                                                                                                                                                                                                                                  | Miscellaneous Obstruction         | 0 EA       | 6                              | Miscellaneous Obstruction                     | 0 EA       | \$ 1500.00 | \$ 0.00                                           | Accessible Parking Spaces |                                    | 0           | 0                   | \$ 0.00                            | ■ | Miscellaneous Obstruction         | ◆ | Commercial Entrance                           |
| 7                                                                                                                                                                                                                                                                                                                  | Missing Sidewalk Obstruction      | 0 EA       | 7                              | Missing Sidewalk Obstruction                  | 0 EA       | \$ 200.00  | \$ 0.00                                           | Intersection SubTotal:    |                                    |             |                     | \$ 0.00                            | ■ | Missing Sidewalk Obstruction      | ◆ | Residential Entrance                          |
| 8                                                                                                                                                                                                                                                                                                                  | Other Obstruction                 | 0 EA       | 8                              | Other Obstruction                             | 0 EA       | \$ 500.00  | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Other Obstruction                 | ⊕ | Commercial Entrance (within slope violation)  |
| 9                                                                                                                                                                                                                                                                                                                  | Pole Post Hydrant Obstruction     | 0 EA       | 9                              | Pole Post Hydrant Obstruction                 | 0 EA       | \$ 5000.00 | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Pole Post Hydrant Obstruction     | ⊕ | Residential Entrance (within slope violation) |
| 10                                                                                                                                                                                                                                                                                                                 | Ponding Obstruction               | 0 EA       | 10                             | Ponding Obstruction                           | 0 EA       | \$ 400.00  | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Ponding Obstruction               |   |                                               |
| 11                                                                                                                                                                                                                                                                                                                 | Sidewalk Joint Obstruction        | 0 EA       | 11                             | Sidewalk Joint Obstruction                    | 0 EA       | \$ 100.00  | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Sidewalk Joint Obstruction        | ■ | Cross Slope                                   |
| 12                                                                                                                                                                                                                                                                                                                 | Sign Obstruction                  | 0 EA       | 12                             | Sign Obstruction                              | 0 EA       | \$ 150.00  | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Sign Obstruction                  | ■ | 2 - 3%                                        |
| 13                                                                                                                                                                                                                                                                                                                 | Storm Grate Obstruction           | 0 EA       | 13                             | Storm Grate Obstruction                       | 0 EA       | \$700.00   | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Storm Grate Obstruction           | ■ | 7.01 - 8%                                     |
| 14                                                                                                                                                                                                                                                                                                                 | Transit Obstruction               | 0 EA       | 14                             | Transit Obstruction                           | 0 EA       | \$500.00   | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Transit Obstruction               | ■ | 3.01 - 4%                                     |
| 15                                                                                                                                                                                                                                                                                                                 | Traffic Obstruction               | 0 EA       | 15                             | Traffic Obstruction                           | 0 EA       | \$2000.00  | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Traffic Obstruction               | ■ | 8.01 - 9%                                     |
| 16                                                                                                                                                                                                                                                                                                                 | Tree Obstruction                  | 0 EA       | 16                             | Tree Obstruction                              | 0 EA       | \$500.00   | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Tree Obstruction                  | ■ | 4.01 - 5%                                     |
| 17                                                                                                                                                                                                                                                                                                                 | Utility Obstruction               | 0 EA       | 17                             | Utility Obstruction                           | 0 EA       | \$1500.00  | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Utility Obstruction               | ■ | 9.01 - 10%                                    |
| 18                                                                                                                                                                                                                                                                                                                 | Vegetation Obstruction - Low      | 1 EA       | 18                             | Vegetation Obstruction - Low                  | 1 EA       | \$150.00   | \$ 150.00                                         |                           |                                    |             |                     |                                    | ■ | Vegetation Obstruction - Low      | ■ | 5.01% - 6%                                    |
| 19                                                                                                                                                                                                                                                                                                                 | Vegetation Obstruction - Overhead | 0 EA       | 19                             | Vegetation Obstruction - Overhead             | 0 EA       | \$150.00   | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Vegetation Obstruction - Overhead | ■ | 10.01 - 12%                                   |
| 20                                                                                                                                                                                                                                                                                                                 | Commercial Entrance               | 0 EA       | 20                             | Commercial Entrance (within slope violation)  | 0 EA       | \$ 5000.00 | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Sidewalk Collection Path          | ■ | 6.01 - 7%                                     |
| 21                                                                                                                                                                                                                                                                                                                 | Residential Entrance              | 6 EA       | 21                             | Residential Entrance (within slope violation) | 6 EA       | \$ 3000.00 | \$ 18000.00                                       |                           |                                    |             |                     |                                    | ■ | Adjacent Sidewalk Collection Path | ■ | > 12%                                         |
| 22                                                                                                                                                                                                                                                                                                                 | Total Sidewalk Length Assessed    | 547.884 LF | 22                             | Running Slope Violations**                    | 0 SY       | \$ 75.00   | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Buried Sidewalk                   | ■ | Running Slope                                 |
| 23                                                                                                                                                                                                                                                                                                                 | Average Sidewalk Width            | 48 IN      | 23                             | Cross Slope Violations                        | 177.969 SY | \$ 75.00   | \$ 13348.00                                       |                           |                                    |             |                     |                                    | ■ | Sidewalk Not Surveyed             | ■ | 5 - 8.33%                                     |
| 24                                                                                                                                                                                                                                                                                                                 | No Sidewalk on Block (Approx.)    | 572.125 LF | 24                             | Running and Cross Slope Violations            | 0 SY       | \$ 75.00   | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | Missing Sidewalk Gap              | ■ | 8.34% - 10%                                   |
| 25                                                                                                                                                                                                                                                                                                                 | Missing Sidewalk Gaps (Approx.)   | 0 LF       | 25                             | Missing Sidewalk Gaps (Approx.)               | 0 LF       | \$ 41.67   | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ | No Sidewalk on Block              | ■ | 10.01 - 12.5%                                 |
| 26                                                                                                                                                                                                                                                                                                                 | Poor Surface Condition (Approx.)  | 0 LF       | 26                             | Poor Surface Condition (Approx.)              | 0 LF       | \$ 41.67   | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ |                                   | ■ | > 12.5%                                       |
| 27                                                                                                                                                                                                                                                                                                                 | Buried Sidewalk (Approx.)         | 0 LF       | 27                             | Buried Sidewalk (Approx.)                     | 0 LF       | \$ 41.67   | \$ 0.00                                           |                           |                                    |             |                     |                                    | ■ |                                   | ■ |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                | Sidewalk SubTotal:                            |            |            | \$ 31698.00                                       |                           |                                    |             |                     |                                    |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | <b>Corridor Total:</b>    |                                    |             |                     | <b>\$ 31698.00</b>                 |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Curb Ramps - Compliant             |             | ■                   | Curb Ramps - Adjacent              |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Curb Ramps - Non Compliant         |             | ■                   | Island Curb Cuts - Adjacent        |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Island Curb Cuts - Compliant       |             | ■                   | Island Curb Cuts - Non Compliant   |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Island Curb Cuts - Non Compliant   |             | ■                   | Signals - Adjacent                 |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Signals - Compliant                |             | ■                   | Signals - Non Compliant            |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Signals - Non Compliant            |             | ■                   | Transit Stops - Adjacent           |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Transit Stops - Compliant          |             | ■                   | Transit Stops - Non Compliant      |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Transit Stops - Non Compliant      |             | ■                   | Railroad Crossings - Adjacent      |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Railroad Crossings - Compliant     |             | ■                   | Railroad Crossings - Non Compliant |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Railroad Crossings - Non Compliant |             | ■                   | Accessible Parking - Adjacent      |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Accessible Parking - Compliant     |             | ■                   | Accessible Parking - Non Compliant |   |                                   |   |                                               |
|                                                                                                                                                                                                                                                                                                                    |                                   |            |                                |                                               |            |            |                                                   | ■                         | Accessible Parking - Non Compliant |             |                     |                                    |   |                                   |   |                                               |
| *Note: ADA pedestrian issues have been identified and quantified in the ADA Survey Summary. There are instances where multiple issues can be resolved with a single corrective measure. The ADA Compliance Cost Estimate reflects the best estimation of quantities and cost to resolve all identified ADA issues. |                                   |            |                                |                                               |            |            |                                                   |                           |                                    |             |                     |                                    |   |                                   |   |                                               |
| **Note: Additional investigation may be warranted when sidewalk running slope issues exist within the right-of-way.                                                                                                                                                                                                |                                   |            |                                |                                               |            |            |                                                   |                           |                                    |             |                     |                                    |   |                                   |   |                                               |