




| ADA Survey Summary |                                   |            | ADA Compliance Cost Estimate * |                                               |           |            | Intersection Inventory & Compliance Cost Estimate |                           |                                    |             |                               |            |          |                                   |                   |                                                                                                                                                                                                                                                                                                                    |                                              |             |  |
|--------------------|-----------------------------------|------------|--------------------------------|-----------------------------------------------|-----------|------------|---------------------------------------------------|---------------------------|------------------------------------|-------------|-------------------------------|------------|----------|-----------------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-------------|--|
| Item               | Description                       | Quantity   | Item                           | Description                                   | Quantity  | Unit Price | Item Cost                                         | Item                      | Description                        | Total Count | Non Compliant Count           | Cost       |          |                                   |                   |                                                                                                                                                                                                                                                                                                                    |                                              |             |  |
| 1                  | Heavings less than 1"             | 3 EA       | 1                              | Heavings less than 1"                         | 3 EA      | \$ 100.00  | \$ 300.00                                         | Curb Ramps                |                                    | 2           | 2                             | \$ 3000.00 | ●        | Heavings < 1" (Excluded)***       | ●                 | Heavings < 1"                                                                                                                                                                                                                                                                                                      |                                              |             |  |
| 2                  | Heavings 1" or greater            | 0 EA       | 2                              | Heavings 1" or greater                        | 0 EA      | \$ 400.00  | \$ 0.00                                           | Island Curb Cuts          |                                    | 0           | 0                             | \$ 0.00    | ●        | Heavings ≥ 1" (Excluded)***       | ●                 | Heavings ≥ 1"                                                                                                                                                                                                                                                                                                      |                                              |             |  |
| 3                  | Uneven Heavings                   | 0 EA       | 3                              | Uneven Heavings                               | 0 EA      | \$ 400.00  | \$ 0.00                                           | Signal Push Buttons       |                                    | 0           | 0                             | \$ 0.00    | ●        | Uneven Heaving (Excluded)***      | ●                 | Uneven Heaving                                                                                                                                                                                                                                                                                                     |                                              |             |  |
| 4                  | Heaving Clusters                  | 0 SY       | 4                              | Heaving Clusters                              | 0 SY      | \$ 75.00   | \$ 0.00                                           | Transit Stops             |                                    | 0           | 0                             | \$ 0.00    | —        | Heaving Clusters (Excluded)       | —                 | Heaving Clusters                                                                                                                                                                                                                                                                                                   |                                              |             |  |
| 5                  | Sidewalk Joint Gaps               | 0 EA       | 5                              | Sidewalk Joint Gaps                           | 0 EA      | \$ 200.00  | \$ 0.00                                           | Railroad Crossings        |                                    | 0           | 0                             | \$ 0.00    | ▲        | Sidewalk Joint Gap (Excluded)***  | ▲                 | Sidewalk Joint Gap                                                                                                                                                                                                                                                                                                 |                                              |             |  |
| 6                  | Miscellaneous Obstruction         | 0 EA       | 6                              | Miscellaneous Obstruction                     | 0 EA      | \$ 1500.00 | \$ 0.00                                           | Accessible Parking Spaces |                                    | 0           | 0                             | \$ 0.00    | ■        | Miscellaneous Obstruction         | ◆                 | Commercial Entrance                                                                                                                                                                                                                                                                                                |                                              |             |  |
| 7                  | Missing Sidewalk Obstruction      | 0 EA       | 7                              | Missing Sidewalk Obstruction                  | 0 EA      | \$ 200.00  | \$ 0.00                                           | Intersection SubTotal:    |                                    |             |                               | \$ 3000.00 | ■        | Missing Sidewalk Obstruction      | ◆                 | Residential Entrance                                                                                                                                                                                                                                                                                               |                                              |             |  |
| 8                  | Other Obstruction                 | 0 EA       | 8                              | Other Obstruction                             | 0 EA      | \$ 500.00  | \$ 0.00                                           | Corridor Total:           |                                    |             |                               | \$         | 10869.00 | ■                                 | Other Obstruction | ✚                                                                                                                                                                                                                                                                                                                  | Commercial Entrance (within slope violation) |             |  |
| 9                  | Pole Post Hydrant Obstruction     | 0 EA       | 9                              | Pole Post Hydrant Obstruction                 | 0 EA      | \$ 5000.00 | \$ 0.00                                           | ■                         | Curb Ramps - Compliant             | ■           | Curb Ramps - Adjacent         | ■          | ■        | Pole Post Hydrant Obstruction     | ✚                 | Residential Entrance (within slope violation)                                                                                                                                                                                                                                                                      |                                              |             |  |
| 10                 | Ponding Obstruction               | 0 EA       | 10                             | Ponding Obstruction                           | 0 EA      | \$ 400.00  | \$ 0.00                                           | ■                         | Curb Ramps - Non Compliant         | ■           | Island Curb Cuts - Adjacent   | ■          | ■        | Ponding Obstruction               | Cross Slope       |                                                                                                                                                                                                                                                                                                                    |                                              |             |  |
| 11                 | Sidewalk Joint Obstruction        | 0 EA       | 11                             | Sidewalk Joint Obstruction                    | 0 EA      | \$ 100.00  | \$ 0.00                                           | ■                         | Island Curb Cuts - Compliant       | ■           | Island Curb Cuts - Adjacent   | ■          | ■        | Sidewalk Joint Obstruction        | ■                 | 2 - 3%                                                                                                                                                                                                                                                                                                             | ■                                            | 7.01 - 8%   |  |
| 12                 | Sign Obstruction                  | 0 EA       | 12                             | Sign Obstruction                              | 0 EA      | \$ 150.00  | \$ 0.00                                           | ■                         | Island Curb Cuts - Non Compliant   | ■           | Signals - Adjacent            | ■          | ■        | Sign Obstruction                  | ■                 | 3.01 - 4%                                                                                                                                                                                                                                                                                                          | ■                                            | 8.01 - 9%   |  |
| 13                 | Storm Grate Obstruction           | 0 EA       | 13                             | Storm Grate Obstruction                       | 0 EA      | \$700.00   | \$ 0.00                                           | ■                         | Signals - Compliant                | ■           | Transit Stops - Adjacent      | ■          | ■        | Storm Grate Obstruction           | ■                 | 4.01 - 5%                                                                                                                                                                                                                                                                                                          | ■                                            | 9.01 - 10%  |  |
| 14                 | Transit Obstruction               | 0 EA       | 14                             | Transit Obstruction                           | 0 EA      | \$500.00   | \$ 0.00                                           | ■                         | Signals - Non Compliant            | ■           | Transit Stops - Adjacent      | ■          | ■        | Transit Obstruction               | ■                 | 5.01% - 6%                                                                                                                                                                                                                                                                                                         | ■                                            | 10.01 - 12% |  |
| 15                 | Traffic Obstruction               | 0 EA       | 15                             | Traffic Obstruction                           | 0 EA      | \$2000.00  | \$ 0.00                                           | ■                         | Transit Stops - Compliant          | ■           | Transit Stops - Adjacent      | ■          | ■        | Traffic Obstruction               | ■                 | 6.01 - 7%                                                                                                                                                                                                                                                                                                          | ■                                            | > 12%       |  |
| 16                 | Tree Obstruction                  | 0 EA       | 16                             | Tree Obstruction                              | 0 EA      | \$500.00   | \$ 0.00                                           | ■                         | Transit Stops - Non Compliant      | ■           | Transit Stops - Adjacent      | ■          | ■        | Tree Obstruction                  | Running Slope     |                                                                                                                                                                                                                                                                                                                    |                                              |             |  |
| 17                 | Utility Obstruction               | 0 EA       | 17                             | Utility Obstruction                           | 0 EA      | \$1500.00  | \$ 0.00                                           | ■                         | Railroad Crossings - Compliant     | ■           | Railroad Crossings - Adjacent | ■          | ■        | Utility Obstruction               | ■                 | 5 - 8.33%                                                                                                                                                                                                                                                                                                          | ■                                            |             |  |
| 18                 | Vegetation Obstruction - Low      | 0 EA       | 18                             | Vegetation Obstruction - Low                  | 0 EA      | \$150.00   | \$ 0.00                                           | ■                         | Railroad Crossings - Non Compliant | ■           | Railroad Crossings - Adjacent | ■          | ■        | Vegetation Obstruction - Low      | ■                 | 8.34% - 10%                                                                                                                                                                                                                                                                                                        | ■                                            |             |  |
| 19                 | Vegetation Obstruction - Overhead | 0 EA       | 19                             | Vegetation Obstruction - Overhead             | 0 EA      | \$150.00   | \$ 0.00                                           | ■                         | Accessible Parking - Compliant     | ■           | Accessible Parking - Adjacent | ■          | ■        | Vegetation Obstruction - Overhead | ■                 | 10.01 - 12.5%                                                                                                                                                                                                                                                                                                      | ■                                            |             |  |
| 20                 | Commercial Entrance               | 0 EA       | 20                             | Commercial Entrance (within slope violation)  | 0 EA      | \$ 5000.00 | \$ 0.00                                           | ■                         | Accessible Parking - Non Compliant | ■           | Accessible Parking - Adjacent | ■          | ■        | Sidewalk Collection Path          | ■                 | > 12.5%                                                                                                                                                                                                                                                                                                            | ■                                            |             |  |
| 21                 | Residential Entrance              | 4 EA       | 21                             | Residential Entrance (within slope violation) | 2 EA      | \$ 3000.00 | \$ 6000.00                                        | ■                         |                                    |             |                               |            | ■        | Adjacent Sidewalk Collection Path | ■                 |                                                                                                                                                                                                                                                                                                                    | ■                                            |             |  |
| 22                 | Total Sidewalk Length Assessed    | 331.24 LF  | 22                             | Running Slope Violations**                    | 0 SY      | \$ 75.00   | \$ 0.00                                           | ■                         |                                    |             |                               |            | ■        | Buried Sidewalk                   | ■                 |                                                                                                                                                                                                                                                                                                                    | ■                                            |             |  |
| 23                 | Average Sidewalk Width            | 48 IN      | 23                             | Cross Slope Violations                        | 20.922 SY | \$ 75.00   | \$ 1569.00                                        | ■                         |                                    |             |                               |            | ■        | Sidewalk Not Surveyed             | ■                 |                                                                                                                                                                                                                                                                                                                    | ■                                            |             |  |
| 24                 | No Sidewalk on Block (Approx.)    | 362.366 LF | 24                             | Running and Cross Slope Violations            | 0 SY      | \$ 75.00   | \$ 0.00                                           | ■                         |                                    |             |                               |            | ■        | Missing Sidewalk Gap              | ■                 |                                                                                                                                                                                                                                                                                                                    | ■                                            |             |  |
| 25                 | Missing Sidewalk Gaps (Approx.)   | 0 LF       | 25                             | Missing Sidewalk Gaps (Approx.)               | 0 LF      | \$ 41.67   | \$ 0.00                                           | ■                         |                                    |             |                               |            | ■        | No Sidewalk on Block              | ■                 |                                                                                                                                                                                                                                                                                                                    | ■                                            |             |  |
| 26                 | Poor Surface Condition (Approx.)  | 0 LF       | 26                             | Poor Surface Condition (Approx.)              | 0 LF      | \$ 41.67   | \$ 0.00                                           | ■                         |                                    |             |                               |            | ■        |                                   | ■                 |                                                                                                                                                                                                                                                                                                                    | ■                                            |             |  |
| 27                 | Buried Sidewalk (Approx.)         | 0 LF       | 27                             | Buried Sidewalk (Approx.)                     | 0 LF      | \$ 41.67   | \$ 0.00                                           | ■                         |                                    |             |                               |            | ■        |                                   | ■                 |                                                                                                                                                                                                                                                                                                                    | ■                                            |             |  |
|                    |                                   |            | Sidewalk SubTotal:             |                                               |           |            | \$ 7869.00                                        |                           |                                    |             |                               |            |          |                                   |                   | *Note: ADA pedestrian issues have been identified and quantified in the ADA Survey Summary. There are instances where multiple issues can be resolved with a single corrective measure. The ADA Compliance Cost Estimate reflects the best estimation of quantities and cost to resolve all identified ADA issues. |                                              |             |  |
|                    |                                   |            |                                |                                               |           |            |                                                   |                           |                                    |             |                               |            |          |                                   |                   | **Note: Additional investigation may be warranted when sidewalk running slope issues exist within the right-of-way.                                                                                                                                                                                                |                                              |             |  |