




| ADA Survey Summary |                                   |             | ADA Compliance Cost Estimate * |                                               |            |            | Intersection Inventory & Compliance Cost Estimate |                           |                                    |             |                               |            |                              |                                   |                                              |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
|--------------------|-----------------------------------|-------------|--------------------------------|-----------------------------------------------|------------|------------|---------------------------------------------------|---------------------------|------------------------------------|-------------|-------------------------------|------------|------------------------------|-----------------------------------|----------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--|--|
| Item               | Description                       | Quantity    | Item                           | Description                                   | Quantity   | Unit Price | Item Cost                                         | Item                      | Description                        | Total Count | Non Compliant Count           | Cost       |                              |                                   |                                              |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 1                  | Heavings less than 1"             | 24 EA       | 1                              | Heavings less than 1"                         | 9 EA       | \$ 100.00  | \$ 900.00                                         | Curb Ramps                |                                    | 3           | 3                             | \$ 9800.00 | ●                            | Heavings < 1" (Excluded)***       | ●                                            | Heavings < 1"                                 |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 2                  | Heavings 1" or greater            | 0 EA        | 2                              | Heavings 1" or greater                        | 0 EA       | \$ 400.00  | \$ 0.00                                           | Island Curb Cuts          |                                    | 0           | 0                             | \$ 0.00    | ●                            | Heavings ≥ 1" (Excluded)***       | ●                                            | Heavings ≥ 1"                                 |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 3                  | Uneven Heavings                   | 0 EA        | 3                              | Uneven Heavings                               | 0 EA       | \$ 400.00  | \$ 0.00                                           | Signal Push Buttons       |                                    | 0           | 0                             | \$ 0.00    | ●                            | Uneven Heaving (Excluded)***      | ●                                            | Uneven Heaving                                |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 4                  | Heaving Clusters                  | 4.433 SY    | 4                              | Heaving Clusters                              | 0 SY       | \$ 75.00   | \$ 0.00                                           | Transit Stops             |                                    | 0           | 0                             | \$ 0.00    | —                            | Heaving Clusters (Excluded)       | —                                            | Heaving Clusters                              |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 5                  | Sidewalk Joint Gaps               | 0 EA        | 5                              | Sidewalk Joint Gaps                           | 0 EA       | \$ 200.00  | \$ 0.00                                           | Railroad Crossings        |                                    | 0           | 0                             | \$ 0.00    | ▲                            | Sidewalk Joint Gap (Excluded)***  | ▲                                            | Sidewalk Joint Gap                            |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 6                  | Miscellaneous Obstruction         | 0 EA        | 6                              | Miscellaneous Obstruction                     | 0 EA       | \$ 1500.00 | \$ 0.00                                           | Accessible Parking Spaces |                                    | 0           | 0                             | \$ 0.00    | ■                            | Miscellaneous Obstruction         | ◆                                            | Commercial Entrance                           |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 7                  | Missing Sidewalk Obstruction      | 0 EA        | 7                              | Missing Sidewalk Obstruction                  | 0 EA       | \$ 200.00  | \$ 0.00                                           | Intersection SubTotal:    |                                    |             | \$ 9800.00                    | ■          | Missing Sidewalk Obstruction | ◆                                 | Residential Entrance                         |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 8                  | Other Obstruction                 | 0 EA        | 8                              | Other Obstruction                             | 0 EA       | \$ 500.00  | \$ 0.00                                           | Corridor Total:           |                                    |             | \$ 149475.00                  | ■          | Other Obstruction            | ⊕                                 | Commercial Entrance (within slope violation) |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 9                  | Pole Post Hydrant Obstruction     | 0 EA        | 9                              | Pole Post Hydrant Obstruction                 | 0 EA       | \$ 5000.00 | \$ 0.00                                           |                           |                                    |             |                               |            | ■                            | Pole Post Hydrant Obstruction     | ⊕                                            | Residential Entrance (within slope violation) |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 10                 | Ponding Obstruction               | 0 EA        | 10                             | Ponding Obstruction                           | 0 EA       | \$ 400.00  | \$ 0.00                                           |                           |                                    |             |                               |            | ■                            | Ponding Obstruction               |                                              | Cross Slope                                   |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 11                 | Sidewalk Joint Obstruction        | 0 EA        | 11                             | Sidewalk Joint Obstruction                    | 0 EA       | \$ 100.00  | \$ 0.00                                           | ■                         | Curb Ramps - Compliant             | ■           | Curb Ramps - Adjacent         |            | ■                            | Sidewalk Joint Obstruction        | ■                                            | 2 - 3%                                        | ■                                                                                                                                                                                                                                                                                                                  | 7.01 - 8%   |  |  |
| 12                 | Sign Obstruction                  | 0 EA        | 12                             | Sign Obstruction                              | 0 EA       | \$ 150.00  | \$ 0.00                                           | ■                         | Curb Ramps - Non Compliant         | ■           | Curb Ramps - Adjacent         |            | ■                            | Sign Obstruction                  | ■                                            | 3.01 - 4%                                     | ■                                                                                                                                                                                                                                                                                                                  | 8.01 - 9%   |  |  |
| 13                 | Storm Grate Obstruction           | 0 EA        | 13                             | Storm Grate Obstruction                       | 0 EA       | \$700.00   | \$ 0.00                                           | ■                         | Island Curb Cuts - Compliant       | ■           | Island Curb Cuts - Adjacent   |            | ■                            | Storm Grate Obstruction           | ■                                            | 4.01 - 5%                                     | ■                                                                                                                                                                                                                                                                                                                  | 9.01 - 10%  |  |  |
| 14                 | Transit Obstruction               | 0 EA        | 14                             | Transit Obstruction                           | 0 EA       | \$500.00   | \$ 0.00                                           | ■                         | Island Curb Cuts - Non Compliant   | ■           | Island Curb Cuts - Adjacent   |            | ■                            | Transit Obstruction               | ■                                            | 5.01% - 6%                                    | ■                                                                                                                                                                                                                                                                                                                  | 10.01 - 12% |  |  |
| 15                 | Traffic Obstruction               | 0 EA        | 15                             | Traffic Obstruction                           | 0 EA       | \$2000.00  | \$ 0.00                                           | ■                         | Island Curb Cuts - Non Compliant   | ■           | Island Curb Cuts - Adjacent   |            | ■                            | Traffic Obstruction               | ■                                            | 6.01 - 7%                                     | ■                                                                                                                                                                                                                                                                                                                  | > 12%       |  |  |
| 16                 | Tree Obstruction                  | 0 EA        | 16                             | Tree Obstruction                              | 0 EA       | \$500.00   | \$ 0.00                                           | ■                         | Signals - Compliant                | ■           | Signals - Adjacent            |            | ■                            | Tree Obstruction                  |                                              | Running Slope                                 |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 17                 | Utility Obstruction               | 0 EA        | 17                             | Utility Obstruction                           | 0 EA       | \$1500.00  | \$ 0.00                                           | ■                         | Signals - Non Compliant            | ■           | Signals - Adjacent            |            | ■                            | Utility Obstruction               | ■                                            | 5 - 8.33%                                     |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 18                 | Vegetation Obstruction - Low      | 3 EA        | 18                             | Vegetation Obstruction - Low                  | 3 EA       | \$150.00   | \$ 450.00                                         | ■                         | Transit Stops - Compliant          | ■           | Transit Stops - Adjacent      |            | ■                            | Vegetation Obstruction - Low      | ■                                            | 8.34% - 10%                                   |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 19                 | Vegetation Obstruction - Overhead | 0 EA        | 19                             | Vegetation Obstruction - Overhead             | 0 EA       | \$150.00   | \$ 0.00                                           | ■                         | Transit Stops - Non Compliant      | ■           | Transit Stops - Adjacent      |            | ■                            | Vegetation Obstruction - Overhead | ■                                            | 10.01 - 12.5%                                 |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 20                 | Commercial Entrance               | 2 EA        | 20                             | Commercial Entrance (within slope violation)  | 2 EA       | \$ 5000.00 | \$ 10000.00                                       | ■                         | Railroad Crossings - Compliant     | ■           | Railroad Crossings - Adjacent |            | ■                            | Sidewalk Collection Path          | ■                                            | > 12.5%                                       |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 21                 | Residential Entrance              | 21 EA       | 21                             | Residential Entrance (within slope violation) | 16 EA      | \$ 3000.00 | \$ 48000.00                                       | ■                         | Railroad Crossings - Non Compliant | ■           | Railroad Crossings - Adjacent |            | ■                            | Adjacent Sidewalk Collection Path |                                              |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 22                 | Total Sidewalk Length Assessed    | 1854.003 LF | 22                             | Running Slope Violations**                    | 20.69 SY   | \$ 75.00   | \$ 1552.00                                        | ■                         | Accessible Parking - Compliant     | ■           | Accessible Parking - Adjacent |            | ■                            | Buried Sidewalk                   |                                              |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 23                 | Average Sidewalk Width            | 55.636 IN   | 23                             | Cross Slope Violations                        | 444.944 SY | \$ 75.00   | \$ 33371.00                                       | ■                         | Accessible Parking - Non Compliant | ■           | Accessible Parking - Adjacent |            | ■                            | Sidewalk Not Surveyed             |                                              |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 24                 | No Sidewalk on Block (Approx.)    | 0 LF        | 24                             | Running and Cross Slope Violations            | 97.898 SY  | \$ 75.00   | \$ 7342.00                                        |                           |                                    |             |                               |            | ■                            | Missing Sidewalk Gap              |                                              |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 25                 | Missing Sidewalk Gaps (Approx.)   | 914.153 LF  | 25                             | Missing Sidewalk Gaps (Approx.)               | 914.153 LF | \$ 41.67   | \$ 38060.00                                       |                           |                                    |             |                               |            | ■                            | No Sidewalk on Block              |                                              |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 26                 | Poor Surface Condition (Approx.)  | 0 LF        | 26                             | Poor Surface Condition (Approx.)              | 0 LF       | \$ 41.67   | \$ 0.00                                           |                           |                                    |             |                               |            |                              |                                   |                                              |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| 27                 | Buried Sidewalk (Approx.)         | 69.961 LF   | 27                             | Buried Sidewalk (Approx.)                     | 69.961 LF  | \$ 41.67   | \$ 2860.00                                        |                           |                                    |             |                               |            |                              |                                   |                                              |                                               |                                                                                                                                                                                                                                                                                                                    |             |  |  |
| Sidewalk SubTotal: |                                   |             |                                |                                               |            |            | \$ 101615.00                                      |                           |                                    |             |                               |            |                              |                                   |                                              |                                               | *Note: ADA pedestrian issues have been identified and quantified in the ADA Survey Summary. There are instances where multiple issues can be resolved with a single corrective measure. The ADA Compliance Cost Estimate reflects the best estimation of quantities and cost to resolve all identified ADA issues. |             |  |  |
|                    |                                   |             |                                |                                               |            |            |                                                   |                           |                                    |             |                               |            |                              |                                   |                                              |                                               | **Note: Additional investigation may be warranted when sidewalk running slope issues exist within the right-of-way.                                                                                                                                                                                                |             |  |  |