




ADA Survey Summary						ADA Compliance Cost Estimate *				Intersection Inventory & Compliance Cost Estimate							
Item Description	Quantity	Item Description	Quantity	Unit Price	Item Cost	Item Description	Total Count	Non Compliant Count	Cost	Item Description	Total Count	Non Compliant Count	Cost	Item Description	Quantity	Item Description	Quantity
1 Heavings less than 1"	9 EA	1 Heavings less than 1"	2 EA	\$ 100.00	\$ 200.00	1 Heavings < 1" (Excluded)***	1	1	\$ 3200.00	1 Curb Ramps - Compliant	1	0	\$ 0.00	1 Heavings < 1"	9 EA	1 Heavings < 1"	2 EA
2 Heavings 1" or greater	0 EA	2 Heavings 1" or greater	0 EA	\$ 400.00	\$ 0.00	2 Heavings ≥ 1" (Excluded)***	0	0	\$ 0.00	2 Curb Ramps - Non Compliant	0	0	\$ 0.00	2 Heavings ≥ 1"	0 EA	2 Heavings ≥ 1"	0 EA
3 Uneven Heavings	0 EA	3 Uneven Heavings	0 EA	\$ 400.00	\$ 0.00	3 Uneven Heaving (Excluded)***	0	0	\$ 0.00	3 Island Curb Cuts - Compliant	0	0	\$ 0.00	3 Uneven Heaving	0 EA	3 Uneven Heaving	0 EA
4 Heaving Clusters	0 SY	4 Heaving Clusters	0 SY	\$ 75.00	\$ 0.00	4 Heaving Clusters (Excluded)	0	0	\$ 0.00	4 Island Curb Cuts - Non Compliant	0	0	\$ 0.00	4 Heaving Clusters	0 SY	4 Heaving Clusters	0 SY
5 Sidewalk Joint Gaps	0 EA	5 Sidewalk Joint Gaps	0 EA	\$ 200.00	\$ 0.00	5 Sidewalk Joint Gap (Excluded)***	0	0	\$ 0.00	5 Signals - Compliant	0	0	\$ 0.00	5 Sidewalk Joint Gaps	0 EA	5 Sidewalk Joint Gaps	0 EA
6 Miscellaneous Obstruction	0 EA	6 Miscellaneous Obstruction	0 EA	\$ 1500.00	\$ 0.00	6 Miscellaneous Obstruction	0	0	\$ 0.00	6 Signals - Non Compliant	0	0	\$ 0.00	6 Miscellaneous Obstruction	0 EA	6 Miscellaneous Obstruction	0 EA
7 Missing Sidewalk Obstruction	0 EA	7 Missing Sidewalk Obstruction	0 EA	\$ 200.00	\$ 0.00	7 Missing Sidewalk Obstruction	0	0	\$ 0.00	6 Transit Stops - Compliant	0	0	\$ 0.00	7 Missing Sidewalk Obstruction	0 EA	7 Missing Sidewalk Obstruction	0 EA
8 Other Obstruction	0 EA	8 Other Obstruction	0 EA	\$ 500.00	\$ 0.00	8 Other Obstruction	0	0	\$ 0.00	6 Transit Stops - Non Compliant	0	0	\$ 0.00	8 Other Obstruction	0 EA	8 Other Obstruction	0 EA
9 Pole Post Hydrant Obstruction	0 EA	9 Pole Post Hydrant Obstruction	0 EA	\$ 5000.00	\$ 0.00	9 Pole Post Hydrant Obstruction	0	0	\$ 0.00	6 Railroad Crossings - Compliant	0	0	\$ 0.00	9 Pole Post Hydrant Obstruction	0 EA	9 Pole Post Hydrant Obstruction	0 EA
10 Ponding Obstruction	0 EA	10 Ponding Obstruction	0 EA	\$ 400.00	\$ 0.00	10 Ponding Obstruction	0	0	\$ 0.00	6 Railroad Crossings - Non Compliant	0	0	\$ 0.00	10 Ponding Obstruction	0 EA	10 Ponding Obstruction	0 EA
11 Sidewalk Joint Obstruction	0 EA	11 Sidewalk Joint Obstruction	0 EA	\$ 100.00	\$ 0.00	11 Sidewalk Joint Obstruction	0	0	\$ 0.00	6 Accessible Parking - Compliant	0	0	\$ 0.00	11 Sidewalk Joint Obstruction	0 EA	11 Sidewalk Joint Obstruction	0 EA
12 Sign Obstruction	0 EA	12 Sign Obstruction	0 EA	\$ 150.00	\$ 0.00	12 Sign Obstruction	0	0	\$ 0.00	6 Accessible Parking - Non Compliant	0	0	\$ 0.00	12 Sign Obstruction	0 EA	12 Sign Obstruction	0 EA
13 Storm Grate Obstruction	0 EA	13 Storm Grate Obstruction	0 EA	\$700.00	\$ 0.00	13 Storm Grate Obstruction	0	0	\$ 0.00	6 Curb Ramps - Adjacent	0	0	\$ 0.00	13 Storm Grate Obstruction	0 EA	13 Storm Grate Obstruction	0 EA
14 Transit Obstruction	0 EA	14 Transit Obstruction	0 EA	\$500.00	\$ 0.00	14 Transit Obstruction	0	0	\$ 0.00	6 Island Curb Cuts - Adjacent	0	0	\$ 0.00	14 Transit Obstruction	0 EA	14 Transit Obstruction	0 EA
15 Traffic Obstruction	0 EA	15 Traffic Obstruction	0 EA	\$2000.00	\$ 0.00	15 Traffic Obstruction	0	0	\$ 0.00	6 Signals - Adjacent	0	0	\$ 0.00	15 Traffic Obstruction	0 EA	15 Traffic Obstruction	0 EA
16 Tree Obstruction	0 EA	16 Tree Obstruction	0 EA	\$500.00	\$ 0.00	16 Tree Obstruction	0	0	\$ 0.00	6 Transit Stops - Adjacent	0	0	\$ 0.00	16 Tree Obstruction	0 EA	16 Tree Obstruction	0 EA
17 Utility Obstruction	0 EA	17 Utility Obstruction	0 EA	\$1500.00	\$ 0.00	17 Utility Obstruction	0	0	\$ 0.00	6 Railroad Crossings - Adjacent	0	0	\$ 0.00	17 Utility Obstruction	0 EA	17 Utility Obstruction	0 EA
18 Vegetation Obstruction - Low	0 EA	18 Vegetation Obstruction - Low	0 EA	\$150.00	\$ 0.00	18 Vegetation Obstruction - Low	0	0	\$ 0.00	6 Accessible Parking - Adjacent	0	0	\$ 0.00	18 Vegetation Obstruction - Low	0 EA	18 Vegetation Obstruction - Low	0 EA
19 Vegetation Obstruction - Overhead	0 EA	19 Vegetation Obstruction - Overhead	0 EA	\$150.00	\$ 0.00	19 Vegetation Obstruction - Overhead	0	0	\$ 0.00	6 Curb Ramps - Non Compliant	0	0	\$ 0.00	19 Vegetation Obstruction - Overhead	0 EA	19 Vegetation Obstruction - Overhead	0 EA
20 Commercial Entrance	0 EA	20 Commercial Entrance (within slope violation)	0 EA	\$ 5000.00	\$ 0.00	20 Commercial Entrance	0	0	\$ 0.00	6 Island Curb Cuts - Non Compliant	0	0	\$ 0.00	20 Commercial Entrance	0 EA	20 Commercial Entrance	0 EA
21 Residential Entrance	11 EA	21 Residential Entrance (within slope violation)	9 EA	\$ 3000.00	\$ 27000.00	21 Residential Entrance	11	11	\$ 33000.00	6 Signals - Non Compliant	11	11	\$ 33000.00	21 Residential Entrance	11 EA	21 Residential Entrance	11 EA
22 Total Sidewalk Length Assessed	688.588 LF	22 Running Slope Violations**	0 SY	\$ 75.00	\$ 0.00	22 Total Sidewalk Length Assessed	688.588 LF	688.588 LF	\$ 20655.00	6 Transit Stops - Adjacent	0	0	\$ 0.00	22 Total Sidewalk Length Assessed	688.588 LF	22 Total Sidewalk Length Assessed	688.588 LF
23 Average Sidewalk Width	48 IN	23 Cross Slope Violations	66.132 SY	\$ 75.00	\$ 4960.00	23 Average Sidewalk Width	48 IN	48 IN	\$ 14700.00	6 Railroad Crossings - Adjacent	0	0	\$ 0.00	23 Average Sidewalk Width	48 IN	23 Average Sidewalk Width	48 IN
24 No Sidewalk on Block (Approx.)	0 LF	24 Running and Cross Slope Violations	48.071 SY	\$ 75.00	\$ 3605.00	24 No Sidewalk on Block (Approx.)	0 LF	0 LF	\$ 0.00	6 Accessible Parking - Adjacent	0	0	\$ 0.00	24 No Sidewalk on Block (Approx.)	0 LF	24 No Sidewalk on Block (Approx.)	0 LF
25 Missing Sidewalk Gaps (Approx.)	765.571 LF	25 Missing Sidewalk Gaps (Approx.)	765.571 LF	\$ 41.67	\$ 31900.00	25 Missing Sidewalk Gaps (Approx.)	765.571 LF	765.571 LF	\$ 31900.00	6 Curb Ramps - Adjacent	0	0	\$ 0.00	25 Missing Sidewalk Gaps (Approx.)	765.571 LF	25 Missing Sidewalk Gaps (Approx.)	765.571 LF
26 Poor Surface Condition (Approx.)	0 LF	26 Poor Surface Condition (Approx.)	0 LF	\$ 41.67	\$ 0.00	26 Poor Surface Condition (Approx.)	0 LF	0 LF	\$ 0.00	6 Island Curb Cuts - Adjacent	0	0	\$ 0.00	26 Poor Surface Condition (Approx.)	0 LF	26 Poor Surface Condition (Approx.)	0 LF
27 Buried Sidewalk (Approx.)	0 LF	27 Buried Sidewalk (Approx.)	0 LF	\$ 41.67	\$ 0.00	27 Buried Sidewalk (Approx.)	0 LF	0 LF	\$ 0.00	6 Signals - Adjacent	0	0	\$ 0.00	27 Buried Sidewalk (Approx.)	0 LF	27 Buried Sidewalk (Approx.)	0 LF
Sidewalk SubTotal:					\$ 35765.00	Corridor Total:				\$ 70865.00							

1 Heavings < 1" (Excluded)***

2 Heavings ≥ 1" (Excluded)***

3 Uneven Heaving (Excluded)***

4 Heaving Clusters (Excluded)

5 Sidewalk Joint Gap (Excluded)***

6 Miscellaneous Obstruction

7 Missing Sidewalk Obstruction

8 Other Obstruction

9 Pole Post Hydrant Obstruction

10 Ponding Obstruction

11 Sidewalk Joint Obstruction

12 Sign Obstruction

13 Storm Grate Obstruction

14 Transit Obstruction

15 Traffic Obstruction

16 Tree Obstruction

17 Utility Obstruction

18 Vegetation Obstruction - Low

19 Vegetation Obstruction - Overhead

20 Commercial Entrance

21 Residential Entrance

22 Total Sidewalk Length Assessed

23 Average Sidewalk Width

24 No Sidewalk on Block (Approx.)

25 Missing Sidewalk Gaps (Approx.)

26 Poor Surface Condition (Approx.)

27 Buried Sidewalk (Approx.)

1 Heavings < 1"

2 Heavings ≥ 1"

3 Uneven Heaving

4 Heaving Clusters

5 Sidewalk Joint Gap

6 Commercial Entrance

7 Residential Entrance

8 Commercial Entrance (within slope violation)

9 Residential Entrance (within slope violation)

10 Cross Slope

11 Running Slope

1 Heavings < 1" (Excluded)***

2 Heavings ≥ 1" (Excluded)***

3 Uneven Heaving (Excluded)***

4 Heaving Clusters (Excluded)

5 Sidewalk Joint Gap (Excluded)***

6 Miscellaneous Obstruction

7 Missing Sidewalk Obstruction

8 Other Obstruction

9 Pole Post Hydrant Obstruction

10 Ponding Obstruction

11 Sidewalk Joint Obstruction

12 Sign Obstruction

13 Storm Grate Obstruction

14 Transit Obstruction

15 Traffic Obstruction

16 Tree Obstruction

17 Utility Obstruction

18 Vegetation Obstruction - Low

19 Vegetation Obstruction - Overhead

20 Commercial Entrance

21 Residential Entrance

22 Total Sidewalk Length Assessed

23 Average Sidewalk Width

24 No Sidewalk on Block (Approx.)

25 Missing Sidewalk Gaps (Approx.)

26 Poor Surface Condition (Approx.)

27 Buried Sidewalk (Approx.)

1 Heavings < 1"

2 Heavings ≥ 1"

3 Uneven Heaving

4 Heaving Clusters

5 Sidewalk Joint Gap

6 Commercial Entrance

7 Residential Entrance

8 Commercial Entrance (within slope violation)

9 Residential Entrance (within slope violation)

10 Cross Slope

11 Running Slope

*Note: ADA pedestrian issues have been identified and quantified in the ADA Survey Summary. There are instances where multiple issues can be resolved with a single corrective measure. The ADA Compliance Cost Estimate reflects the best estimation of quantities and cost to resolve all identified ADA issues.

**Note: Additional investigation may be warranted when sidewalk running slope issues exist within the right-of-way.

***Note: Excluded items are violations that occur in areas with slope violations and have been excluded from the cost estimate.