




ADA Survey Summary						ADA Compliance Cost Estimate *				Intersection Inventory & Compliance Cost Estimate							
Item Description	Quantity	Item Description	Quantity	Unit Price	Item Cost	Item Description	Total Count	Non Compliant Count	Cost	Item Description	Total Count	Non Compliant Count	Cost	Item Description	Quantity	Item Description	Quantity
1 Heavings less than 1"	15 EA	1 Heavings less than 1"	6 EA	\$ 100.00	\$ 600.00	1 Heavings less than 1"	5	5	\$ 14250.00	1 Heavings < 1" (Excluded)***	0	0	\$ 0.00	1 Heavings < 1"	15 EA	1 Heavings < 1"	6 EA
2 Heavings 1" or greater	2 EA	2 Heavings 1" or greater	0 EA	\$ 400.00	\$ 0.00	2 Heavings 1" or greater	1	1	\$ 3000.00	2 Heavings ≥ 1" (Excluded)***	0	0	\$ 0.00	2 Heavings ≥ 1"	2 EA	2 Heavings ≥ 1"	0 EA
3 Uneven Heavings	0 EA	3 Uneven Heavings	0 EA	\$ 400.00	\$ 0.00	3 Island Curb Cuts	1	1	\$ 2300.00	3 Uneven Heaving (Excluded)***	0	0	\$ 0.00	3 Uneven Heaving	0 EA	3 Uneven Heaving	0 EA
4 Heaving Clusters	2.222 SY	4 Heaving Clusters	0 SY	\$ 75.00	\$ 0.00	4 Signal Push Buttons	1	1	\$ 4100.00	4 Heaving Clusters (Excluded)	0	0	\$ 0.00	4 Heaving Clusters	2.222 SY	4 Heaving Clusters	0 SY
5 Sidewalk Joint Gaps	0 EA	5 Sidewalk Joint Gaps	0 EA	\$ 200.00	\$ 0.00	5 Transit Stops	2	2	\$ 0.00	5 Sidewalk Joint Gaps (Excluded)***	0	0	\$ 0.00	5 Sidewalk Joint Gaps	0 EA	5 Sidewalk Joint Gaps	0 EA
6 Miscellaneous Obstruction	0 EA	6 Miscellaneous Obstruction	0 EA	\$ 1500.00	\$ 0.00	6 Railroad Crossings	0	0	\$ 0.00	6 Miscellaneous Obstruction	0	0	\$ 0.00	6 Miscellaneous Obstruction	0 EA	6 Miscellaneous Obstruction	0 EA
7 Missing Sidewalk Obstruction	0 EA	7 Missing Sidewalk Obstruction	0 EA	\$ 200.00	\$ 0.00	7 Accessible Parking Spaces	0	0	\$ 0.00	7 Missing Sidewalk Obstruction	0	0	\$ 0.00	7 Missing Sidewalk Obstruction	0 EA	7 Missing Sidewalk Obstruction	0 EA
8 Other Obstruction	0 EA	8 Other Obstruction	0 EA	\$ 500.00	\$ 0.00	Intersection SubTotal:			\$ 23650.00	8 Other Obstruction	0	0	\$ 0.00	8 Other Obstruction	0 EA	8 Other Obstruction	0 EA
9 Pole Post Hydrant Obstruction	0 EA	9 Pole Post Hydrant Obstruction	0 EA	\$ 5000.00	\$ 0.00	Corridor Total:			\$ 58458.00	9 Pole Post Hydrant Obstruction	0	0	\$ 0.00	9 Pole Post Hydrant Obstruction	0 EA	9 Pole Post Hydrant Obstruction	0 EA
10 Ponding Obstruction	0 EA	10 Ponding Obstruction	0 EA	\$ 400.00	\$ 0.00	1 Curb Ramps - Compliant	5	5	\$ 14250.00	10 Ponding Obstruction	0	0	\$ 0.00	10 Ponding Obstruction	0 EA	10 Ponding Obstruction	0 EA
11 Sidewalk Joint Obstruction	0 EA	11 Sidewalk Joint Obstruction	0 EA	\$ 100.00	\$ 0.00	2 Curb Ramps - Non Compliant	1	1	\$ 3000.00	11 Sidewalk Joint Obstruction	0	0	\$ 0.00	11 Sidewalk Joint Obstruction	0 EA	11 Sidewalk Joint Obstruction	0 EA
12 Sign Obstruction	0 EA	12 Sign Obstruction	0 EA	\$ 150.00	\$ 0.00	3 Island Curb Cuts - Compliant	1	1	\$ 2300.00	12 Sign Obstruction	0	0	\$ 0.00	12 Sign Obstruction	0 EA	12 Sign Obstruction	0 EA
13 Storm Grate Obstruction	0 EA	13 Storm Grate Obstruction	0 EA	\$700.00	\$ 0.00	4 Island Curb Cuts - Non Compliant	1	1	\$ 4100.00	13 Storm Grate Obstruction	0	0	\$ 0.00	13 Storm Grate Obstruction	0 EA	13 Storm Grate Obstruction	0 EA
14 Transit Obstruction	0 EA	14 Transit Obstruction	0 EA	\$500.00	\$ 0.00	5 Signals - Compliant	1	1	\$ 4100.00	14 Transit Obstruction	0	0	\$ 0.00	14 Transit Obstruction	0 EA	14 Transit Obstruction	0 EA
15 Traffic Obstruction	0 EA	15 Traffic Obstruction	0 EA	\$2000.00	\$ 0.00	6 Signals - Non Compliant	1	1	\$ 4100.00	15 Traffic Obstruction	0	0	\$ 0.00	15 Traffic Obstruction	0 EA	15 Traffic Obstruction	0 EA
16 Tree Obstruction	0 EA	16 Tree Obstruction	0 EA	\$500.00	\$ 0.00	7 Transit Stops - Compliant	2	2	\$ 4100.00	16 Tree Obstruction	0	0	\$ 0.00	16 Tree Obstruction	0 EA	16 Tree Obstruction	0 EA
17 Utility Obstruction	0 EA	17 Utility Obstruction	0 EA	\$1500.00	\$ 0.00	8 Transit Stops - Non Compliant	0	0	\$ 0.00	17 Utility Obstruction	0	0	\$ 0.00	17 Utility Obstruction	0 EA	17 Utility Obstruction	0 EA
18 Vegetation Obstruction - Low	0 EA	18 Vegetation Obstruction - Low	0 EA	\$150.00	\$ 0.00	9 Railroad Crossings - Compliant	0	0	\$ 0.00	18 Vegetation Obstruction - Low	0	0	\$ 0.00	18 Vegetation Obstruction - Low	0 EA	18 Vegetation Obstruction - Low	0 EA
19 Vegetation Obstruction - Overhead	0 EA	19 Vegetation Obstruction - Overhead	0 EA	\$150.00	\$ 0.00	10 Railroad Crossings - Non Compliant	0	0	\$ 0.00	19 Vegetation Obstruction - Overhead	0	0	\$ 0.00	19 Vegetation Obstruction - Overhead	0 EA	19 Vegetation Obstruction - Overhead	0 EA
20 Commercial Entrance	4 EA	20 Commercial Entrance (within slope violation)	4 EA	\$ 5000.00	\$ 20000.00	11 Accessible Parking - Compliant	0	0	\$ 0.00	20 Commercial Entrance	4 EA	4 EA	\$ 20000.00	20 Commercial Entrance	4 EA	20 Commercial Entrance (within slope violation)	4 EA
21 Residential Entrance	0 EA	21 Residential Entrance (within slope violation)	0 EA	\$ 3000.00	\$ 0.00	12 Accessible Parking - Non Compliant	0	0	\$ 0.00	21 Residential Entrance	0 EA	0 EA	\$ 0.00	21 Residential Entrance	0 EA	21 Residential Entrance (within slope violation)	0 EA
22 Total Sidewalk Length Assessed	941.546 LF	22 Running Slope Violations**	7.659 SY	\$ 75.00	\$ 574.00					22 Total Sidewalk Length Assessed	941.546 LF	941.546 LF	\$ 574.00	22 Total Sidewalk Length Assessed	941.546 LF	22 Running Slope Violations**	7.659 SY
23 Average Sidewalk Width	65.143 IN	23 Cross Slope Violations	153.544 SY	\$ 75.00	\$ 11516.00					23 Average Sidewalk Width	65.143 IN	65.143 IN	\$ 11516.00	23 Average Sidewalk Width	65.143 IN	23 Cross Slope Violations	153.544 SY
24 No Sidewalk on Block (Approx.)	0 LF	24 Running and Cross Slope Violations	28.235 SY	\$ 75.00	\$ 2118.00					24 No Sidewalk on Block (Approx.)	0 LF	0 LF	\$ 2118.00	24 No Sidewalk on Block (Approx.)	0 LF	24 Running and Cross Slope Violations	28.235 SY
25 Missing Sidewalk Gaps (Approx.)	0 LF	25 Missing Sidewalk Gaps (Approx.)	0 LF	\$ 41.67	\$ 0.00					25 Missing Sidewalk Gaps (Approx.)	0 LF	0 LF	\$ 0.00	25 Missing Sidewalk Gaps (Approx.)	0 LF	25 Missing Sidewalk Gaps (Approx.)	0 LF
26 Poor Surface Condition (Approx.)	0 LF	26 Poor Surface Condition (Approx.)	0 LF	\$ 41.67	\$ 0.00					26 Poor Surface Condition (Approx.)	0 LF	0 LF	\$ 0.00	26 Poor Surface Condition (Approx.)	0 LF	26 Poor Surface Condition (Approx.)	0 LF
27 Buried Sidewalk (Approx.)	0 LF	27 Buried Sidewalk (Approx.)	0 LF	\$ 41.67	\$ 0.00					27 Buried Sidewalk (Approx.)	0 LF	0 LF	\$ 0.00	27 Buried Sidewalk (Approx.)	0 LF	27 Buried Sidewalk (Approx.)	0 LF
Sidewalk SubTotal:					\$ 34808.00												

0

25

50

100

150

200

Feet



1 Curb Ramps - Compliant

2 Curb Ramps - Non Compliant

3 Island Curb Cuts - Compliant

4 Island Curb Cuts - Non Compliant

5 Signals - Compliant

6 Signals - Non Compliant

7 Transit Stops - Compliant

8 Transit Stops - Non Compliant

9 Railroad Crossings - Compliant

10 Railroad Crossings - Non Compliant

11 Accessible Parking - Compliant

12 Accessible Parking - Non Compliant

1 Curb Ramps - Adjacent

2 Island Curb Cuts - Adjacent

3 Signals - Adjacent

4 Transit Stops - Adjacent

5 Railroad Crossings - Adjacent

6 Accessible Parking - Adjacent

1 Heavings < 1" (Excluded)***

2 Heavings ≥ 1" (Excluded)***

3 Uneven Heaving (Excluded)***

4 Heaving Clusters (Excluded)

5 Sidewalk Joint Gap (Excluded)***

6 Miscellaneous Obstruction

7 Missing Sidewalk Obstruction

8 Other Obstruction

9 Pole Post Hydrant Obstruction

10 Ponding Obstruction

11 Sidewalk Joint Obstruction

12 Sign Obstruction

13 Storm Grate Obstruction

14 Transit Obstruction

15 Traffic Obstruction

16 Tree Obstruction

17 Utility Obstruction

18 Vegetation Obstruction - Low

19 Vegetation Obstruction - Overhead

20 Sidewalk Collection Path

21 Adjacent Sidewalk Collection Path

22 Buried Sidewalk

23 Sidewalk Not Surveyed

24 Missing Sidewalk Gap

25 No Sidewalk on Block

1 Heavings < 1"

2 Heavings ≥ 1"

3 Uneven Heaving

4 Heaving Clusters

5 Sidewalk Joint Gap

6 Commercial Entrance

7 Residential Entrance

8 Commercial Entrance (within slope violation)

9 Residential Entrance (within slope violation)

Cross Slope

2 - 3%

3.01 - 4%

4.01 - 5%

5.01% - 6%

6.01 - 7%

7.01 - 8%

8.01 - 9%

9.01 - 10%

10.01 - 12%

> 12%

Running Slope

5 - 8.33%

8.34% - 10%

10.01 - 12.5%

> 12.5%

*Note: ADA pedestrian issues have been identified and quantified in the ADA Survey Summary. There are instances where multiple issues can be resolved with a single corrective measure. The ADA Compliance Cost Estimate reflects the best estimation of quantities and cost to resolve all identified ADA issues.

**Note: Additional investigation may be warranted when sidewalk running slope issues exist within the right-of-way.

***Note: Excluded items are violations that occur in areas with slope violations and have been excluded from the cost estimate.