




| ADA Survey Summary                   |             |                                                  |          | ADA Compliance Cost Estimate * |           |                           |             | Intersection Inventory & Compliance Cost Estimate |         |                                     |                                     |                                     |                                                 |                                     |                                     |
|--------------------------------------|-------------|--------------------------------------------------|----------|--------------------------------|-----------|---------------------------|-------------|---------------------------------------------------|---------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------------------|-------------------------------------|-------------------------------------|
| Item Description                     | Quantity    | Item Description                                 | Quantity | Unit Price                     | Item Cost | Item Description          | Total Count | Non Compliant Count                               | Cost    |                                     |                                     |                                     |                                                 |                                     |                                     |
| 1 Heavings less than 1"              | 0 EA        | 1 Heavings less than 1"                          | 0 EA     | \$ 100.00                      | \$ 0.00   | Curb Ramps                | 0           | 0                                                 | \$ 0.00 | • Heavings < 1" (Excluded)***       | • Heavings < 1"                     | • Sidewalk Joint Gap (Excluded)***  | • Sidewalk Joint Gap                            | • Sidewalk Collection Path          | • Sidewalk Collection Path          |
| 2 Heavings 1" or greater             | 0 EA        | 2 Heavings 1" or greater                         | 0 EA     | \$ 400.00                      | \$ 0.00   | Island Curb Cuts          | 0           | 0                                                 | \$ 0.00 | • Heavings ≥ 1" (Excluded)***       | • Heavings ≥ 1"                     | • Miscellaneous Obstruction         | • Commercial Entrance                           | • Adjacent Sidewalk Collection Path | • Adjacent Sidewalk Collection Path |
| 3 Uneven Heavings                    | 0 EA        | 3 Uneven Heavings                                | 0 EA     | \$ 400.00                      | \$ 0.00   | Signal Push Buttons       | 0           | 0                                                 | \$ 0.00 | • Uneven Heaving (Excluded)***      | • Uneven Heaving                    | • Missing Sidewalk Obstruction      | • Residential Entrance                          | • Buried Sidewalk                   | • Buried Sidewalk                   |
| 4 Heaving Clusters                   | 0 SY        | 4 Heaving Clusters                               | 0 SY     | \$ 75.00                       | \$ 0.00   | Transit Stops             | 0           | 0                                                 | \$ 0.00 | • Heaving Clusters (Excluded)       | • Heaving Clusters                  | • Other Obstruction                 | • Commercial Entrance (within slope violation)  | • Sidewalk Not Surveyed             | • Sidewalk Not Surveyed             |
| 5 Sidewalk Joint Gaps                | 0 EA        | 5 Sidewalk Joint Gaps                            | 0 EA     | \$ 200.00                      | \$ 0.00   | Railroad Crossings        | 0           | 0                                                 | \$ 0.00 | • Sidewalk Joint Gap (Excluded)***  | • Sidewalk Joint Gap                | • Pole Post Hydrant Obstruction     | • Residential Entrance (within slope violation) | • Missing Sidewalk Gap              | • Missing Sidewalk Gap              |
| 6 Miscellaneous Obstruction          | 0 EA        | 6 Miscellaneous Obstruction                      | 0 EA     | \$ 1500.00                     | \$ 0.00   | Accessible Parking Spaces | 0           | 0                                                 | \$ 0.00 | • Miscellaneous Obstruction         | • Miscellaneous Obstruction         | • Pondering Obstruction             |                                                 | • No Sidewalk on Block              | • No Sidewalk on Block              |
| 7 Missing Sidewalk Obstruction       | 0 EA        | 7 Missing Sidewalk Obstruction                   | 0 EA     | \$ 200.00                      | \$ 0.00   | Intersection SubTotal:    |             |                                                   | \$ 0.00 | • Missing Sidewalk Obstruction      | • Missing Sidewalk Obstruction      | • Sidewalk Joint Obstruction        |                                                 |                                     |                                     |
| 8 Other Obstruction                  | 0 EA        | 8 Other Obstruction                              | 0 EA     | \$ 500.00                      | \$ 0.00   |                           |             |                                                   |         | • Other Obstruction                 | • Other Obstruction                 | • Sign Obstruction                  |                                                 |                                     |                                     |
| 9 Pole Post Hydrant Obstruction      | 0 EA        | 9 Pole Post Hydrant Obstruction                  | 0 EA     | \$ 5000.00                     | \$ 0.00   |                           |             |                                                   |         | • Pole Post Hydrant Obstruction     | • Pole Post Hydrant Obstruction     | • Storm Grate Obstruction           |                                                 |                                     |                                     |
| 10 Ponding Obstruction               | 0 EA        | 10 Ponding Obstruction                           | 0 EA     | \$ 400.00                      | \$ 0.00   |                           |             |                                                   |         | • Pondering Obstruction             | • Pondering Obstruction             | • Transit Obstruction               |                                                 |                                     |                                     |
| 11 Sidewalk Joint Obstruction        | 0 EA        | 11 Sidewalk Joint Obstruction                    | 0 EA     | \$ 100.00                      | \$ 0.00   |                           |             |                                                   |         | • Sidewalk Joint Obstruction        | • Sidewalk Joint Obstruction        | • Traffic Obstruction               |                                                 |                                     |                                     |
| 12 Sign Obstruction                  | 0 EA        | 12 Sign Obstruction                              | 0 EA     | \$ 150.00                      | \$ 0.00   |                           |             |                                                   |         | • Sign Obstruction                  | • Sign Obstruction                  | • Tree Obstruction                  |                                                 |                                     |                                     |
| 13 Storm Grate Obstruction           | 0 EA        | 13 Storm Grate Obstruction                       | 0 EA     | \$700.00                       | \$ 0.00   |                           |             |                                                   |         | • Storm Grate Obstruction           | • Storm Grate Obstruction           | • Utility Obstruction               |                                                 |                                     |                                     |
| 14 Transit Obstruction               | 0 EA        | 14 Transit Obstruction                           | 0 EA     | \$500.00                       | \$ 0.00   |                           |             |                                                   |         | • Transit Obstruction               | • Transit Obstruction               | • Vegetation Obstruction - Low      |                                                 |                                     |                                     |
| 15 Traffic Obstruction               | 0 EA        | 15 Traffic Obstruction                           | 0 EA     | \$2000.00                      | \$ 0.00   |                           |             |                                                   |         | • Traffic Obstruction               | • Traffic Obstruction               | • Vegetation Obstruction - Overhead |                                                 |                                     |                                     |
| 16 Tree Obstruction                  | 0 EA        | 16 Tree Obstruction                              | 0 EA     | \$500.00                       | \$ 0.00   |                           |             |                                                   |         | • Tree Obstruction                  | • Tree Obstruction                  |                                     |                                                 |                                     |                                     |
| 17 Utility Obstruction               | 0 EA        | 17 Utility Obstruction                           | 0 EA     | \$1500.00                      | \$ 0.00   |                           |             |                                                   |         | • Utility Obstruction               | • Utility Obstruction               |                                     |                                                 |                                     |                                     |
| 18 Vegetation Obstruction - Low      | 0 EA        | 18 Vegetation Obstruction - Low                  | 0 EA     | \$150.00                       | \$ 0.00   |                           |             |                                                   |         | • Vegetation Obstruction - Low      | • Vegetation Obstruction - Low      |                                     |                                                 |                                     |                                     |
| 19 Vegetation Obstruction - Overhead | 0 EA        | 19 Vegetation Obstruction - Overhead             | 0 EA     | \$150.00                       | \$ 0.00   |                           |             |                                                   |         | • Vegetation Obstruction - Overhead | • Vegetation Obstruction - Overhead |                                     |                                                 |                                     |                                     |
| 20 Commercial Entrance               | 0 EA        | 20 Commercial Entrance (within slope violation)  | 0 EA     | \$ 5000.00                     | \$ 0.00   |                           |             |                                                   |         |                                     |                                     |                                     |                                                 |                                     |                                     |
| 21 Residential Entrance              | 0 EA        | 21 Residential Entrance (within slope violation) | 0 EA     | \$ 3000.00                     | \$ 0.00   |                           |             |                                                   |         |                                     |                                     |                                     |                                                 |                                     |                                     |
| 22 Total Sidewalk Length Assessed    | 0 LF        | 22 Running Slope Violations**                    | 0 SY     | \$ 75.00                       | \$ 0.00   |                           |             |                                                   |         |                                     |                                     |                                     |                                                 |                                     |                                     |
| 23 Average Sidewalk Width            | 0 IN        | 23 Cross Slope Violations                        | 0 SY     | \$ 75.00                       | \$ 0.00   |                           |             |                                                   |         |                                     |                                     |                                     |                                                 |                                     |                                     |
| 24 No Sidewalk on Block (Approx.)    | 1567.529 LF | 24 Running and Cross Slope Violations            | 0 SY     | \$ 75.00                       | \$ 0.00   |                           |             |                                                   |         |                                     |                                     |                                     |                                                 |                                     |                                     |
| 25 Missing Sidewalk Gaps (Approx.)   | 0 LF        | 25 Missing Sidewalk Gaps (Approx.)               | 0 LF     | \$ 41.67                       | \$ 0.00   |                           |             |                                                   |         |                                     |                                     |                                     |                                                 |                                     |                                     |
| 26 Poor Surface Condition (Approx.)  | 0 LF        | 26 Poor Surface Condition (Approx.)              | 0 LF     | \$ 41.67                       | \$ 0.00   |                           |             |                                                   |         |                                     |                                     |                                     |                                                 |                                     |                                     |
| 27 Buried Sidewalk (Approx.)         | 0 LF        | 27 Buried Sidewalk (Approx.)                     | 0 LF     | \$ 41.67                       | \$ 0.00   |                           |             |                                                   |         |                                     |                                     |                                     |                                                 |                                     |                                     |
|                                      |             | Sidewalk SubTotal:                               |          |                                | \$ 0.00   |                           |             |                                                   |         |                                     |                                     |                                     |                                                 |                                     |                                     |

Corridor Total:

\$ 0.00

🟢 Curb Ramps - Compliant

🔴 Curb Ramps - Non Compliant

🟢 Island Curb Cuts - Compliant

🔴 Island Curb Cuts - Non Compliant

🟢 Signals - Compliant

🔴 Signals - Non Compliant

🟢 Transit Stops - Compliant

🔴 Transit Stops - Non Compliant

🟢 Railroad Crossings - Compliant

🔴 Railroad Crossings - Non Compliant

🟢 Accessible Parking - Compliant

🔴 Accessible Parking - Non Compliant

🟡 Curb Ramps - Adjacent

🟡 Island Curb Cuts - Adjacent

🟡 Signals - Adjacent

🟡 Transit Stops - Adjacent

🟡 Railroad Crossings - Adjacent

🟡 Accessible Parking - Adjacent

• Heavings < 1" (Excluded)\*\*\*

• Heavings ≥ 1" (Excluded)\*\*\*

• Uneven Heaving (Excluded)\*\*\*

• Heaving Clusters (Excluded)

• Sidewalk Joint Gap (Excluded)\*\*\*

• Miscellaneous Obstruction

• Missing Sidewalk Obstruction

• Other Obstruction

• Pole Post Hydrant Obstruction

• Pondering Obstruction

• Sidewalk Joint Obstruction

• Sign Obstruction

• Storm Grate Obstruction

• Transit Obstruction

• Traffic Obstruction

• Tree Obstruction

• Utility Obstruction

• Vegetation Obstruction - Low

• Vegetation Obstruction - Overhead

• Sidewalk Collection Path

• Adjacent Sidewalk Collection Path

• Buried Sidewalk

• Sidewalk Not Surveyed

• Missing Sidewalk Gap

• No Sidewalk on Block

• Heavings < 1"

• Heavings ≥ 1"

• Uneven Heaving

• Heaving Clusters

• Sidewalk Joint Gap

• Commercial Entrance

• Residential Entrance

• Commercial Entrance (within slope violation)

• Residential Entrance (within slope violation)

Cross Slope

2 - 3%

3.01 - 4%

4.01 - 5%

5.01% - 6%

6.01 - 7%

7.01 - 8%

8.01 - 9%

9.01 - 10%

10.01 - 12%

> 12%

Running Slope

5 - 8.33%

8.34% - 10%

10.01 - 12.5%

> 12.5%

\*Note: ADA pedestrian issues have been identified and quantified in the ADA Survey Summary. There are instances where multiple issues can be resolved with a single corrective measure. The ADA Compliance Cost Estimate reflects the best estimation of quantities and cost to resolve all identified ADA issues.

\*\*Note: Additional investigation may be warranted when sidewalk running slope issues exist within the right-of-way.

\*\*\*Note: Excluded items are violations that occur in areas with slope violations and have been excluded from the cost estimate.