Title Exceptions
Parcel 211
Tax Parcel 169-162-06
Title Search Dated: 28 October 2002

1. Not a matter of survey.

2. Not a matter of survey (note Item 2 refers to standard exceptions I-8 on an attached document. Item 4 sites inaccuracies and discrepancies that a full survey would disclose. A full survey of this parcel is not within the scope of this project).

3. Southern Railway claims 130' right of way, 65' both sides of centerline of existing track. DB 4444, Pg. 880 states that a fence and parking lot encroach onto the right-of-way but was not located in the scope of this survey.

4. Not a matter of survey.

5. Easements to Duke Power Company recorded In DB 2523, Pg. 255, DB 3177, Pg. 298 and DB 3154, Pg. 26 are general and cannot be plotted.


6. Not a matter of survey.

7. Not a matter of survey.

NOTES

- I. THIS PROPERTY IS AN EXISTING PARCEL OF LAND. APPARENT SOURCE OF TITLE: DB 4444, PG 880.
- AREA SHOWN BASED ON COORDINATE GEOMETRY METHOD.
- 3. NSRR RIGHT OF WAY BASED ON EXISTING CENTERLINE OF RAILROAD.
- 4. GRID COORDINATES SHOWN ARE LOCALIZED COORDINATES BASED ON INFORMATION PROVIDED BY THE CITY OF CHARLOTTE. THE FOCAL POINT FOR LOCALIZATION IS NCGS MONUMENT MO55 (N=539,784.4289; E= 1,449,530.959) AND THE COMBINED GRID FACTOR USED WAS 0.99984587.

5. UNLESS SIGNED AND SEALED, THIS PLAT IS PRELIMINARY, NOT FOR RECORDATION, SALES, OR CONVEYANCE.



VICINITY MAP NOT TO SCALE

ORDED IN DEED E.

/6370-344

/0-3/-03

I, MARK E. FUNKHOUSER, CERTIFY THAT THIS
PLAT WAS DRAWN UNDER MY SUPERVISION FROM AN
ACTUAL SURVEY MADE UNDER MY SUPERVISION
(DEED DESCRIPTION AS REFERENCED HEREON);
THAT THE BOUNDARIES NOT SURVEYED ARE CLEARLY
INDICATED FROM INFORMATION AS SHOWN HEREON;
THAT THE RATIO OF PRECISION + 1:20,000;
THAT THIS PLAT WAS PREPARED IN ACCORDANCE
WITH G.S. 47-30 AS AMENDED. WITNESS MY
ORIGINAL SIGNATURE, REGISTRATION NUMBER AND
SEAL THIS

DAY OF


A.D. 2003.

STATE OF NORTH CAROLINA COUNTY OF MECKLENBURG

I, ______, Review Officer of Mecklenburg County, certify that the map or plat to which this certification is attached meets all statutory requirements for recording.

Review Officer

Date



PBS 200 CHAR

Survey Prepared By
200 EAST WOODLAWN ROAD, SUITE 3 10
CHARLOTTE, NORTH CAROLINA 28217
704-522-7275

